



# **X<sup>MD</sup> TWEEL<sup>MC</sup> DE MICHELIN**

*GUIDE D'AJUSTEMENT DES PNEUS RADIAUX SANS AIR*

**13 FÉVRIER 2026**



**MICHELIN**

# SOMMAIRE

## **MICHELIN X<sup>MD</sup> TWEEL<sup>MC</sup> TURF**

POUR TONDEUSES

INFORMATIONS GÉNÉRALES SUR LE PRODUIT 2

DÉTAILS DE L'AMÉNAGEMENT 3-30

## **MICHELIN X<sup>MD</sup> TWEEL<sup>MC</sup> UTV**

POUR VÉHICULES UTILITAIRES  
TOUT-TERRAIN

INFORMATIONS GÉNÉRALES SUR LE PRODUIT 31

DÉTAILS DE L'AMÉNAGEMENT 32-38

## **MICHELIN X<sup>MD</sup> TWEEL<sup>MC</sup> SSL 2**

POUR CHARGEURS COMPACTS

INFORMATIONS GÉNÉRALES SUR LE PRODUIT 39

DÉTAILS DE L'AMÉNAGEMENT 40-41

## **MICHELIN X<sup>MD</sup> TWEEL<sup>MC</sup> TMF**

POUR LES CHARIOTS ÉLEVATEURS À  
FOURCHE MONTÉS SUR CAMION

INFORMATIONS GÉNÉRALES SUR LE PRODUIT 42

DÉTAILS DE L'AMÉNAGEMENT 42

# QU'EST-CE QU'UN PNEU RADIAL SANS AIR MICHELIN X<sup>MD</sup> TWEEL<sup>MC</sup> ?

## **PAS D'ENTRETIEN**


Le pneumatique radial sans air Michelin X<sup>MD</sup> Tweel<sup>MC</sup> consiste en une seule pièce, remplaçant le pneumatique traditionnel et l'assemblage de la roue. Aucun équipement complexe n'est nécessaire pour leurs assemblages et une fois qu'ils sont installés, il n'y a pas de pression d'air à maintenir.

## **PAS DE COMPROMIS**

Le transfert unique d'énergie grâce aux rayons en Polyrésine permet d'éviter le "rebond" habituellement associé avec les pneumatiques traditionnels, tout en permettant d'exceptionnelles capacités de maniabilité.

## **PAS DE TEMPS D'IMMOBILISATION (PAS DE CREVAISONS !)**

Le pneumatique radial sans air Tweel<sup>MC</sup> a été créé pour effectuer les mêmes tâches qu'un pneumatique traditionnel sans les inconvénients et le temps d'immobilisation en cas de crevaison.



### AVERTISSEMENT

L'utilisation d'un matériel de montage incorrect peut entraîner le détachement du TWEEL du véhicule, une perte de contrôle, des blessures graves, voire la mort

# MICHELIN X<sup>MD</sup> TWEEL<sup>MC</sup> TURF (POUR TONDEUSES)



## ARGUMENTS D'ACHAT :

- ✓ Hauteur de la jante constante permettant d'assurer que le châssis de tondeuse produit une coupe uniforme.
- ✓ Excellente stabilité lorsque le véhicule est incliné et confort optimal du conducteur même sur des bordures de trottoirs et autres obstacles.
- ✓ Composantes de haute performance et un contact au sol efficace conçu pour une durabilité deux à trois fois plus longues qu'un pneumatique traditionnel avec une profondeur de sculpture identique.

## ROULETTES AVANT



13 po rainurée  
Polyrésine



13 po lisse  
Polyrésine



15 po lisse  
Polyrésine

MSPN	CAI	Description	Dimensions (pouces)	Bande de roulement	Charge maximale	Diamètre du boulon d'essieu	Poids
73818	529089	X TWEEL TURF Caster	13x6.5N6	Rainurée	131 kg	15.9 mm	12.5 kg
52441	786694	X TWEEL TURF Caster	13x6.5N6	Rainurée	131 kg	19.1 mm	12.3 kg
41011	462981	X TWEEL TURF Caster	13x6.5N6	Lisse	131 kg	15.9mm	12.6 kg
05768	969970	X TWEEL TURF Caster	13x6.5N6	Lisse	131 kg	19.1 mm	12.4 kg
49136	198082	X TWEEL TURF Caster	15x6.0N6	Lisse	167 kg	15.9mm	15.4 kg
31716	788796	X TWEEL TURF Caster	15x6.0N6	Lisse	167 kg	19.1 mm	15.2 kg

MSPN	CAI	Description	Dimensions (pouces)	Couleur de la jante	Charge maximale	Déport de la jante	Configuration des boulons	Poids
01133	019985	X TWEEL TURF	18x8.5N10	Noir	240 kg	-10.2 mm	4X101.6 mm	12.3 kg
78245	361420	X TWEEL TURF	18x8.5N10	Noir	320 kg	-10.2 mm	4x101.6 mm	12.5 kg
37968	865514	X TWEEL TURF	22x11N12	Noir	240 kg	-27.9 mm	4X101.6 mm	17.4 kg
47260	318203	X TWEEL TURF	22x11N12 XL	Noir	329 kg	-34.9 mm	5X114.3 mm	17.9 kg
08755	695037	X TWEEL TURF	22x11N12 XL	Noir	329 kg	-27.9 mm	4X101.6 mm	18.1 kg
22487	934081	X TWEEL TURF	24x12N12	Noir	340 kg	22.9 mm	4X101.6 mm	21.6 kg
50357	332857	X TWEEL TURF	24x12N12	Noir	340 kg	-19.1 mm	4X101.6 mm	21.6 kg
77185	436629	X TWEEL TURF	24x12N12	Noir	340 kg	-55.9 mm	4X101.6 mm	21.9 kg
54411	472782	X TWEEL TURF	24x12N12	Noir	340 kg	-33.0 mm	5X114.3 mm	21.6 kg
14365	169991	X TWEEL TURF	24x12N12	Noir	340 kg	17.0 mm	5X114.3 mm	21.6 kg
59498	672722	X TWEEL TURF	24x12N12	Noir (Kubota)	340 kg	-33.0 mm	5X114.3 mm	22.0 kg
17774	518897	X TWEEL TURF	24x12N12	Noir	340 kg	43.2 mm	10x215.9 mm	19.8 kg
06358	252641	X TWEEL TURF	24x12N12 XL	Noir	394 kg	-55.9 mm	4X101.6 mm	22.4 kg
23039	476325	X TWEEL TURF	24x12N12 XL	Noir	394 kg	-33.0 mm	5X114.3 mm	22.2 kg
40453	318810	X TWEEL TURF	24x12N12 XL	Noir	394 kg	-19.1 mm	4x215.9 mm	22.2 kg
07097	613105	X TWEEL TURF	24x12N12 XL	Noir	394 kg	12.7 mm	10x215.9 mm	22.0 kg
79478	184302	X TWEEL TURF	24x12N12 XL	Noir	394 kg	17.0 mm	5x114.3 mm	22.2 kg
08189	473363	X TWEEL TURF	26x12N12 XL	Noir	467 kg	-22.1 mm	4X101.6 mm	26.1 kg
47623	306687	X TWEEL TURF	26x12N12 XL	Noir	467 kg	-55.9 mm	4X101.6 mm	26.1 kg
25913	920886	X TWEEL TURF	26x12N12 XL	Noir	467 kg	-55.9 mm	5X114.3 mm	26.3 kg
25926	657585	X TWEEL TURF	26x12N12 XL	Noir	467 kg	17.0 mm	5X114.3 mm	26.3 kg
75935	940411	X TWEEL TURF	26x12N12 XL	Noir	467 kg	43.2 mm	10x215.9 mm	25.4 kg

### LES PRODUITS ÉNUMÉRÉS CI-DESSOUS SONT DES EXCLUSIVITÉS DES CONCESSIONNAIRES JOHN DEERE

MSPN	CAI	Description	Dimensions (pouces)	Couleur de la jante	Charge maximale	Déport de la jante	Configuration des boulons	Largeur de coupe (cm)	Poids
28556	571030	X TWEEL TURF	18x8.5N10	Jaune	240 kg	-12.7 mm	4X101.6 mm	122 / 132 / 155	12.3 kg
21484	740338	X TWEEL TURF	22x11N12 XL	Jaune	330 kg	-27.9 mm	4X101.6 mm	137 / 152	18.1 kg
83684	258249	X TWEEL TURF	22x11N12 XL	Jaune	330 kg	19.1 mm	4X101.6 mm	122	18.1 kg
22168	367955	X TWEEL TURF	24x12N12	Jaune	340 kg	22.9 mm	4X101.6 mm	122	21.6 kg
89064	904073	X TWEEL TURF	24x12N12	Jaune	340 kg	-19.1 mm	4X101.6 mm	137 / 152	21.6 kg
05583	484963	X TWEEL TURF	24x12N12	Jaune	340 kg	-55.9 mm	4X101.6 mm	183	21.9 kg
17510	586606	X TWEEL TURF	24x12N12 XL	Jaune	394 kg	-19.1 mm	4X101.6 mm	137 / 152	22.2 kg
80949	393921	X TWEEL TURF	24x12N12 XL	Jaune	394 kg	-55.9 mm	4X101.6 mm	183	22.4 kg
39287	814390	X TWEEL TURF	26x12N12 XL	Jaune	391 kg	-22.1 mm	4X101.6 mm	152 / 183	26.1 kg

## DIAMÈTRE DE L'AXE

Le pneu radial sans air Tweel est disponible en 12,7 mm, 15,9 mm et 19,1 mm de diamètre d'essieu. En fonction du diamètre de l'arbre, de la largeur des bras de fourche, des entretoises peuvent être nécessaires pour une bonne installation. Reportez-vous au tableau ci-dessous pour le numéro de pièce et les dimensions.

MSPN	CAI	Produit	Diamètre du boulon d'essieu	Largeur	Largeur intérieure à la fourche (11 po caster)	Largeur intérieure à la fourche (13 po et 15 po caster)
34578	899379		12.7 mm	7.9 mm	12.7 cm	16.2 cm
38182	391030		12.7 mm	15.9 mm	14.3 cm	17.8 cm
40653	857027		12.7 mm	25.4 mm	16.19 cm	19.7 cm
65019	227555		19.1 mm	25.4 mm	16.19 cm	19.7 cm
34193	146756		15.9 mm	15.9 mm	14.3 cm	17.8 cm
60723	430411		19 mm	4.8 mm	11.75 cm	15.2 cm
35679	163008		19 mm	7.9 mm	12.4 cm	15.9 cm
60881	140179		12.7 or 15.9 mm	5.4 cm OD	Capuchon anti-poussière de roulement (inclus ci-dessus)	
25104	242946		19 mm	5.4 cm OD		

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
<b>ALTOZ</b>									
TRX	354		54	13x6.5-6	Tracks	13X6.5N6	73818 or 41011 (34578)	No Fitment	No Fitment
TRX	561 i		61	13x6.5-6	Tracks	13X6.5N6	73818 or 41011 (34578)	No Fitment	No Fitment
TRX	766 i		66	15x6-6	Tracks	15X6N6	73818 or 41011 (34578)	No Fitment	No Fitment
TSX	561 i		61	13x6.5-6	Tracks	13X6.5N6	73818 or 41011 (40653)	No Fitment	No Fitment
XC	610 Z	4	61	13x6.5-6	26x12-12	13X6.5N6	73818 or 41011 (40653)	26x12N12 X-Tweel Turf XL	47623
XC	720 Z	4	72	13x6.5-6	26x12-12	13X6.5N6	73818 or 41011 (40653)	26x12N12 X-Tweel Turf XL	47623
XP	540 HD	4	54	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf XL	06358
XP	610 HD	4	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf XL	06358
XP	660 HD	4	66	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf XL	06358
XP	720 HD	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf XL	06358
XP	610 HDI	4	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf XL	06358
XE	540	4	54	13x6.5-6	22x8.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
XE	610	4	61	13x6.5-6	22x8.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
XE	610 SS	4	61	13x6.5-6	22x8.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
XR	480	4	48	13x6.5-6	20x10-10	13X6.5N6	73818 or 41011 (34193)	18x8.5N10 X-Tweel Turf	78245
XR	540	4	54	13x6.5-6	20x10-10	13X6.5N6	73818 or 41011 (34193)	18x8.5N10 X-Tweel Turf	78245
XR	540 SS	4	54	13x6.5-6	20x10-10	13X6.5N6	73818 or 41011 (34193)	18x8.5N10 X-Tweel Turf	78245
<b>ARIENS</b>									
Apex	991161	4	48	13x6.5-6	22x10-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Apex	991159	4	52	13x6.5-6	22x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Apex	991163	4	60	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Edge	915281	1	34	11x4-5	18x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Edge	915283	1	42	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Edge	915285	1	52	11x4-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Ikon	918002	4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ikon	918003	4	48	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ikon	918005	4	52	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ikon	918006	4	60	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ikon Onyx	918026	4	52	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Zenith	991158	4	60	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
<b>BAD BOY MOWER</b>									
Renegade Diesel	6100	5	61	15x6-6	26x12-12	15X6N6	49136 (38182)	26x12N12 X-Tweel Turf XL	25913
Renegade Gas	6100	5	61	15x6-6	26x12-12	15X6N6	49136 (38182)	26x12N12 X-Tweel Turf XL	25913
Renegade Gas	7200	5	72	15x6-6	26x12-12	15X6N6	49136 (38182)	26x12N12 X-Tweel Turf XL	25913
Rogue	5400	5	54	15x6-6	26x12-12	15x6N6	49136 (38182)	26x12N12 X-Tweel Turf XL	25913
Rogue	6100	5	61	15x6-6	26x12-12	15x6N6	49136 (38182)	26x12N12 X-Tweel Turf XL	25913
Rogue	7200	5	72	15x6-6	26x12-12	15x6N6	49136 (38182)	26x12N12 X-Tweel Turf XL	25913
Rebel	5400	5	54	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Rebel	6100	5	61	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Rebel	7200	5	72	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Revolt	3600	5	36	13x6.5-6	21x7-10	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Revolt	4800	5	48	13x6.5-6	23x9-12	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Revolt	5400	5	54	13x6.5-6	23x9-12	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Revolt	6100	5	61	13x6.5-6	23x11-12	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Revolt SD	3400	4	34	13x6.5-6	23x9-12	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Revolt SD	4200	4	42	13x6.5-6	23x9-12	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Compact Outlaw	4200	5	42	13x6.5-6	23x8.5-10	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Compact Outlaw	4800	5	48	13x6.5-6	23x8.5-10	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Maverick HD	4200	5	42	13x6.5-6	23x9-12	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Maverick HD	4800	5	48	13x6.5-6	23x9-12	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Maverick HD	5400	5	54	13x6.5-6	23x11-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Maverick HD	6000	5	60	13x6.5-6	23x11-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Maverick	4800	5	48	13x6.5-6	23x9-12	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Maverick	5400	5	54	13x6.5-6	23x11-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Maverick	6000	5	60	13x6.5-6	23x11-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Walk-Behind Gas	3600	4	36	11x6-5	21x7-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Walk-Behind Gas	4800	4	48	11x6-5	21x8.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Walk-Behind Gas	5400	4	54	11x6-5	21x8.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZT Elite	4800	4	48	13x6.5-6	22x10-10	13X6.5N6	41011 (38182)	22x11N12 X-Tweel Turf	37968
ZT Elite	5400	4	54	13x6.5-6	22x11-10	13X6.5N6	41011 (38182)	22x11N12 X-Tweel Turf	37968
ZT Elite	6000	4	60	13x6.5-6	22x11-10	13X6.5N6	41011 (38182)	22x11N12 X-Tweel Turf	37968
ZT Avenger	5400	4	54	12x6-6	20x12-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
ZT Avenger	6000	4	60	12x6-6	20x12-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
MZ Magnum	4800	4	48	11x6-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
MZ Magnum	5400	4	54	11x6-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
MZ Rambler	4200	4	42	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Diesel	6100	5	61	13x6.5-6	26x12-12	13X6.5N6	41011 (38182)	26x12N12 X-Tweel Turf XL	25913
Diesel	7200	5	72	13x6.5-6	26x12-12	13X6.5N6	41011 (38182)	26x12N12 X-Tweel Turf XL	25913
Compact Diesel	6100	5	61	13x6.5-6	26x12-12	13X6.5N6	41011 (38182)	26x12N12 X-Tweel Turf XL	25913
Outlaw XP	5400	5	64	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Outlaw XP	6100	5	61	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Outlaw XP	7200	5	72	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Outlaw Extreme	5400	5	54	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Outlaw Extreme	6100	5	61	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Outlaw Extreme	7200	5	72	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Outlaw	5400	5	54	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Outlaw	6100	5	61	13x6.5-6	24x12-12	13X6.5N6	41011 (38182)	24x12N12 X-Tweel Turf	54411
Outlaw Compact	4200	5	42	13x6.5-6	23x8.5-10	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Outlaw Compact	4800	5	48	13x6.5-6	23x8.5-10	13X6.5N6	41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
<b>BIG DOG</b>									
Rex		1	34	11x4-5	16x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Rex		1	42	11x4-5	16x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Rex MP		1	34	11x4-5	18x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Rex MP		1	42	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Rex MP		1	48	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Alpha		4	36	11x4-5	18x7-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Alpha		4	42	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Alpha		4	52	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Alpha MP		4	36	13x5-6	20x6.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Alpha MP		4	42	13x5-6	20x6.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Alpha MP		4	48	13x5-6	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Alpha MP		4	54	13x6.5-6	20x12-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Alpha MP		4	60	13x6.5-6	20x12-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Alpha MPX		4	48	13x5-6	22x9.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Alpha MPX		4	54	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Alpha MPX		4	60	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
BlackJack		4	48	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
BlackJack		4	54	11x4-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Stout		4	48	13x5-6	23x9.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Stout		4	54	13x6.5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Stout		4	60	13x6.5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Stout MP		4	48	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Stout MP		4	54	13x6.5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Stout MP		4	60	13x6.5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Diablo		5	52	13x6.5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Diablo		5	60	13x6.5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24X12N12 X-Tweel Turf	54411
Diablo		5	72	13x6.5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24X12N12 X-Tweel Turf	54411
Diablo MP		5	60	13x6.5-6	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X-Tweel Turf XL	25926
Diablo MP		5	72	13x6.5-6	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X-Tweel Turf XL	25926
Hike		4	36	11x4-5	20x6.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Hike		4	48	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Hike		4	54	11x4-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Hike		4	60	11x4-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Trooper		5	36	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Trooper		5	48	13x5-6	24x9.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Trooper		5	52	13x5-6	24x9.5-10	No Confirmed Fitment	No Confirmed Fitment	24X12N12 X-Tweel Turf XL	54411
Trooper		5	60	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24X12N12 X-Tweel Turf XL	54411
<b>BOBCAT</b>									
Predator-Pro 7000	9997002	4	61	15x6.5-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X Tweel Turf XL	08189
Predator-Pro 7000	9997003	4	72	15x6.5-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X Tweel Turf XL	08189
Predator-Pro 7000	9997001	4	61	15x6.5-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X Tweel Turf XL	08189
Predator-Pro 7000	9997004	4	72	15x6.5-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X Tweel Turf XL	08189
ProCat 6000MX	9996005	4	61	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ProCat 6000MX	9996006	4	61	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ProCat 6000	9996001	4	52	13x6.5-6	24x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ProCat 6000	9996003	4	52	13x6.5-6	24x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ProCat 6000	9996002	4	61	13x6.5-6	24x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ProCat 6000	9996004	4	61	13x6.5-6	24x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ProCat 5000	9995010	4	48	13x6.5-6	24x8.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ProCat 5000	9995011	4	52	13x6.5-6	24x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ProCat 5000	9995012	4	61	13x6.5-6	24x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ProCat 5000	9995008	4	52	13x6.5-6	24x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ProCat 5000	9995009	4	61	13x6.5-6	24x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
FastCat Pro SE	942297	4	36	11x4-5	20x6.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
FastCat Pro SE	942302	4	42	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
XRZ Pro RS	942630	4	48	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
XRZ Pro RS	942631	4	52	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
XRZ Pro RS	942632	4	61	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
XRZ Pro	942620	4	48	13x5-6	22x11-10	13X6.5N6	52441 or 05768	22x11N12 X-Tweel Turf	37968
XRZ Pro	942621	4	52	13x5-6	22x11-10	13X6.5N6	52441 or 05768	22x11N12 X-Tweel Turf	37968
XRZ Pro	942622	4	61	13x5-6	22x11-10	13X6.5N6	52441 or 05768	22x11N12 X-Tweel Turf	37968
XRZ	942610	4	48	13x5-6	22x11-10	13X6.5N6	52441 or 05768	22x11N12 X-Tweel Turf	37968
XRZ	942611	4	52	13x5-6	22x11-10	13X6.5N6	52441 or 05768	22x11N12 X-Tweel Turf	37968
XRZ	942612	4	61	13x5-6	22x11-10	13X6.5N6	52441 or 05768	22x11N12 X-Tweel Turf	37968
CRZ	942607	4	42	13x5-5	20x8-10	13X6.5N6	52441 or 05768	18x8.5N10 X-Tweel Turf	78245
CRZ	942604	4	48	13x5-5	20x10-10	13X6.5N6	52441 or 05768	18x8.5N10 X-Tweel Turf	78245
CRZ	902605	4	52	13x5-5	20x10-10	13X6.5N6	52441 or 05768	18x8.5N10 X-Tweel Turf	78245
CRZ	902606	4	61	13x5-5	20x12-10	13X6.5N6	52441 or 05768	18x8.5N10 X-Tweel Turf	78245
WB700	WB0736ST / 9990701	4	36	11x6-5.5	20x8-10	No Fitment	No Fitment	No Fitment	No Fitment

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
WB700	WB0748SU / 9990702	4	48	11x6-5.5	20x8-10	No Fitment	No Fitment	No Fitment	No Fitment
WB700	WB0752SV / 9990703	4	52	11x6-5.5	20x8-10	No Fitment	No Fitment	No Fitment	No Fitment
ZT2000	ZT2042SA / 9992001	4	42	11x6-5	20x10-10	No Fitment	No Fitment	No Fitment	No Fitment
ZT2000	ZT2048SA / 9992002	4	48	11x6-5	20x10-10	No Fitment	No Fitment	No Fitment	No Fitment
ZT2000	ZT2052SB / 9992003	4	52	11x6-5	20x10-10	No Fitment	No Fitment	No Fitment	No Fitment
ZT3000	ZT3048SC / 9993001	4	48	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT3000	ZT3052SD / 9993002	4	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT3000	ZT3061SE / 9993003	4	61	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT3500	ZT3548SF / 9993501	4	48	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
ZT3500	ZT3552SG / 9993502	4	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
ZT3500	ZT3561SH / 9993503	4	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
ZS4000	ZS4036SJ / 9994001	4	36	11x6-5	20x8-10	No Fitment	No Fitment	No Fitment	No Fitment
ZS4000	ZS4048SK / 9994002	4	48	13x6.5-6	23x8.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf XL	08755
ZS4000	ZS4052SK / 9994003	4	52	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf XL	08755
ZS4000	ZS4061SF / 9994004	4	61	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf XL	08755
ZT6000	ZT6052SL / 9996010	4	52	13x6.5-6	24x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
ZT6000	ZT6061SL / 9996011	4	61	13x6.5-6	24x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
ZT6100	ZT6161SM	4	61	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
ZT6100	ZT6161SN / 9996013	4	61	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
ZT7000	ZT7061SW / 9997064	4	61	15x6.5-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X Tweel Turf XL	08189
ZT7000	ZT7061SP / 9997010	4	61	15x6.5-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X Tweel Turf XL	08189
ZT7000	ZT7072SW / 9997065	4	72	15x6.5-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X Tweel Turf XL	08189
ZT7000	ZT7072SP / 9997011	4	72	15x6.5-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X Tweel Turf XL	08189
<b>BUSH HOG</b>									
HDE	HDE2049KT3	5	49	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2249FS3	5	49	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2255FS3	5	55	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2555KP3	5	55	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2261FS3	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2561KP3	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDC	HDC2361FS3	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDC	HDC2561KP3	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDZ	HDZ3161FX3	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDZ	HDZ3361ECV3	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDZ	HDZ3173FX3	5	73	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDZ	HDZ3373ECV3	5	73	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2049KT2	5	49	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2249FS2	5	49	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2255FS2	5	55	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2261FS2	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2549PS2	5	49	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2555KP2	5	55	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2555PS2	5	55	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2561KP2	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDE	HDE2561PS2	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDC	HDC2355FS2	5	55	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDC	HDC2555KP2	5	55	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDC	HDC2361FS2	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDC	HDC2561KP2	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDZ	HDZ2761CV2	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
HDZ	HDZ2773CV2	5	73	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDZ	HDZ3161FX2	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDZ	HDZ3173FX2	5	73	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDZ	HDZ3361ECV2	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
HDZ	HDZ3373ECV2	5	73	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
<b>COUNTRY CLIPPER</b>									
Avenue		4	42	13x5-6	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Avenue		4	54	13x5-6	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Boulevard		4	48	13x6.5-6	20x10-10	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
Boulevard		4	54	13x6.5-6	20x12-10	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
Boulevard		4	60	13x6.5-6	20x12-10	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
XLT		4	48	13x6.5-6	22x9.5-10	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
XLT		4	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
XLT		4	60	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
Challenger		4	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
Challenger		4	60	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
Charger		4	52	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Charger		4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Boss XL		5	60	15x6-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X-Tweel Turf XL	25913
Boss XL		5	72	15x6-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X-Tweel Turf XL	25913
<b>CRAFTSMAN</b>									
Z5200		4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z5400		4	46	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z5600		4	50	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z5800		4	54	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z7600		4	54	11x6-5	20x12-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
<b>CUB CADET</b>									
Pro Z	148 L EFI	4	48	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	148 S EFI	4	48	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	154 L EFI	4	54	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	154 S EFI	4	54	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	160 L EFI	4	60	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	160 L KW	4	60	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	160 S EFI	4	60	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	160 S KW	4	60	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	500 Z Turn	4	54	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	548 L KW	4	48	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	554 L KW	4	54	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	554 S KW	4	54	15x6-6	24x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	77185
Pro Z	560 L KW	4	60	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	560 S KW	4	60	15x6-6	24x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	77185
Pro Z	760 L KW	4	60	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	760 L KW EFI	4	60	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	760 S KW	4	60	16x6.5-8	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
Pro Z	772 L KW	4	60	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	77185
Pro Z	900 Z Turn	4	60	15x6.5-4.5	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	08189
Pro Z	960 L KW	4	60	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
Pro Z	960 S KW	4	60	16x6.5-8	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
Pro Z	960 L EFI	4	60	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
Pro Z	960 S SurePath	4	60	16x6.5-8	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	08189

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Pro Z	972 L KW	4	72	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
Pro Z	972 S KW	4	72	16x6.5-8	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	08189
Pro Z	972 L EFI	4	72	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
Pro Z	972 SD	4	72	16x6.5-8	25x9-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Pro Z	972 SDL	4	74	16x6.5-8	25x9-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Pro Z	972 SDL EFI	4	74	16x6.5-8	25x9-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Pro Z	972 S SurePath	4	74	16x6.5-8	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	08189
Pro X	636	4	36	11x4-5	21x8.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Pro X	648	4	48	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Pro X	654	4	54	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
Pro X	660	4	60	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
Pro X	654 EFI	4	54	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
Pro X	660 EFI	4	60	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
Pro HW	336	4	36	9x3.5-4	16x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Pro HW	348	4	48	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Pro HW	354	4	54	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
RZT	SX Z turn	4	42	13x5-6	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
RZT L/LX	L 34	4	34	13x5-6	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
RZT	L54	4	34	13x5-6	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
RZT S	Zero	4	42	13x5-6	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
RZT SX	50	4	50	13x5-6	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
RZT SX	54	4	54	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
RZT SX	42 KH	4	42	13x5-6	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
RZT SX	46 KH	4	46	13x5-6	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Ultima	ZTS1 42	4	42	13x6.5-6	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ultima	ZTS1 46	4	46	13x6.5-6	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ultima	ZTS1 50	4	50	13x6.5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ultima	ZT1 42	4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ultima	ZT1 46	4	46	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ultima	ZT1 50	4	50	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Ultima	ZT1 54	4	54	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Ultima	ZT1 42E	4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ultima	ZT1 54P	4	54	11x6-5	20x12-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Ultima	ZT1 42 FAB	4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ultima	ZTS2 50	4	50	13x6.5-6	20x12-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ultima	ZTS2 54	4	54	13x6.5-6	20x12-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ultima	ZTS2 60	4	60	13x6.5-6	20x12-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Ultima	ZT2 50	4	50	13x6.5-6	20x12-8	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
Ultima	ZT2 54	4	54	13x6.5-6	20x12-8	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
Ultima	ZT2 60	4	60	13x6.5-6	20x12-8	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
Ultima	ZT3 60	4	60	11x6-5	20x12-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Z-Force L/LX	LX 48	4	48	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Z-Force L/LX	LX 54	4	54	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Z-Force L/LX	LX 60	4	60	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Z-Force S/SX	S 48	4	48	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Z-Force S/SX	S 54	4	54	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Z-Force S/SX	S 60	4	60	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Z-Force S/SX	SX 45 KW	4	54	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Z-Force S/SX	SX 48 KW	4	48	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Z-Force S/SX	SX 60 KW	4	60	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Ultima	ZTX4 48	5	48	13x6.5-6	22x12-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf XL	47260
Ultima	ZTX4 54	5	54	13x6.5-6	22x12-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf XL	47260
Ultima	ZTX4 60	5	60	13x6.5-6	22x12-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf XL	47260
Ultima	ZTXS4 48	5	48	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	47260
Ultima	ZTXS4 54	5	54	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	47260
Ultima	ZTXS4 60	5	60	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	47260
Ultima	ZTX5 48	5	48	13x6.5-6	23x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
Ultima	ZTX5 54	5	54	13x6.5-6	23x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
Ultima	ZTX5 60	5	60	13x6.5-6	23x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
Ultima	ZTXS5 54	5	54	13x6.5-6	23x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
Ultima	ZTXS5 60	5	60	13x6.5-6	23x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
Ultima	ZTX6 48	5	48	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
Ultima	ZTX6 54	5	54	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
Ultima	ZTX6 60	5	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
Ultima	ZTXS6 60	5	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
<b>DEWALT</b>									
Z	148	5		13x6.5-6	22x12-12	13X6.5N6		22x11N12 X-Tweel Turf XL	47260
Z	160	5		13x6.5-6	22x12-12	13X6.5N6		22x11N12 X-Tweel Turf XL	47260
Z	254	5		13x6.5-6	23x12-12	13X6.5N6		22x11N12 X-Tweel Turf XL	47260
Z	260	5		13x6.5-6	23x12-12	13X6.5N6		22x11N12 X-Tweel Turf XL	47260
X	536	4		11x4-5	24x8.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
X	548	4		13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
X	554	4		13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
HW	48	4		11x4-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
<b>DIXIE CHOPPER</b>									
ZEE 2	2342KO	4	42	13x6.5-6	20x8-10	13X6.5N6	73818 or 41011 (40653)	18x8.5N10 X-Tweel Turf	78245
ZEE 2	2348KO	4	48	13x6.5-6	20x10-8	13X6.5N6	73818 or 41011 (40653)	18x8.5N10 X-Tweel Turf	78245
ZEE 2	2348KW	4	48	13x6.5-6	20x10-8	13X6.5N6	73818 or 41011 (40653)	18x8.5N10 X-Tweel Turf	78245
ZEE 2	2354KO	4	54	13x6.5-6	20x10-8	13X6.5N6	73818 or 41011 (40653)	18x8.5N10 X-Tweel Turf	78245
ZEE 2	2354KW	4	54	13x6.5-6	20x10-8	13X6.5N6	73818 or 41011 (40653)	18x8.5N10 X-Tweel Turf	78245
ZEE 2 HP	2448KW	4	48	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZEE 2 HP	2454KW	4	54	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
MAGNUM	2450KW	4	50	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
MAGNUM	2550KO	4	50	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
MAGNUM	2460KW	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
MAGNUM	2560KO	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
BLACKHAWK	2248KW	4	48	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34578)	24x12N12 X-Tweel Turf	77185
BLACKHAWK	2454KW	4	54	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34578)	24x12N12 X-Tweel Turf	77185
BLACKHAWK	2460KW	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34578)	24x12N12 X-Tweel Turf	77185
BLACKHAWK HP	2248KW	4	48	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34578)	24x12N12 X-Tweel Turf	77185
BLACKHAWK HP	2548KOE	4	48	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34578)	24x12N12 X-Tweel Turf	77185
BLACKHAWK HP	2454KW	4	54	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34578)	24x12N12 X-Tweel Turf	77185
BLACKHAWK HP	2554KOE	4	54	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34578)	24x12N12 X-Tweel Turf	77185
BLACKHAWK HP	2460KW	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34578)	24x12N12 X-Tweel Turf	77185
BLACKHAWK HP	2560KOE	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34578)	24x12N12 X-Tweel Turf	77185
EAGLE	2754KW	4	54	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
EAGLE	2754KOE	4	54	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
EAGLE	2760KW	4	60	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
EAGLE	2760KOE	4	60	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
EAGLE HP	3160KW	4	60	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
EAGLE HP	3160KOE	4	60	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
EAGLE HP	3566KW	4	66	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
EAGLE HP	3366KOE	4	66	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
EAGLE HP	3572KW	4	72	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
EAGLE HP	3372KOE	4	72	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
STRYKER	2548KWE (Stand-On)	4	48	15x6-6	23x9.5-12	15X6N6	49136 (34193)	No Confirmed Fitment	No Confirmed Fitment
STRYKER	2554KWE (Stand-On)	4	54	15x6-6	23.5x10.5-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	50357
PURSUIT	1536D (Walk-Behind)	4	36	9x3.5-4	16x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
PURSUIT	1544D (Walk-Behind)	4	44	9x3.5-4	16x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
CLASSIC	2750KW	4	50	15x6-8	25x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	50357
CLASSIC	2760KW	4	60	15x6-8	25x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	50357
CLASSIC	3160KW	4	60	15x6-8	25x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	50357
CLASSIC	3160KOE	4	60	15x6-8	25x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	50357
CLASSIC	3572KW	4	72	15x6-8	25x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	50357
CLASSIC	3572KOE	4	72	15x6-8	25x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	50357
CLASSIC	3672BR	4	72	15x6-8	25x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	50357
XCALIBER	3160KW	4	60	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	47623
XCALIBER	3360KOE	4	60	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	47623
XCALIBER	3366KOE	4	66	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	47623
XCALIBER	3366KW	4	66	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	47623
XCALIBER	3574KW	4	74	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	47623
XCALIBER	3574KOE	4	74	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	47623
XCALIBER	3674BR	4	74	15x6-8	25x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	47623
<b>EGO</b>									
Power+	ZT4205S	4	42	11x4-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Power+	ZT4204L	4	42	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Power+	ZT5207L	4	52	11x6-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
<b>EXMARK TORO</b>									
Radius E	RAE708GEM48300	4	48	13x6.5-6	22x9.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf	37968
Radius E	RAE708GEM48C00	4	48	13x6.5-6	22x9.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf	37968
Radius E	RZE708GEM48C00	4	48	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf	37968
Radius E	RAE708GEM52300	4	52	13x6.5-6	22x9.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf	37968
Radius E	RZE708GEM52300	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf	37968
Radius E	RAE708GEM60300	4	60	13x6.5-6	22x10.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf	37968
Radius E	RZE708GEM60300	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf	37968
Radius S	RAS651GKA48CA3	4	48	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
Radius S	RZS651GKA48CA3	4	48	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
Radius S	RAS691GKA523A3	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
Radius S	RZS691GKA523A3	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
Radius S	RAS730GKA603A3	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
Radius S	RZS730GKA603A3	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
Radius S	RAS730GKA60RA3	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
Radius S	RZS730GKA603A3	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	08755
Radius X	RAX921GKA604A3	4	60	13x6.5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
Radius X	RZX801GKA524A3	4	60	13x6.5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
Radius X	RZX921GKA604A3	4	60	13x6.5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
Quest E	QZE725GKC42200	4	42	11x4-5	18x7.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Quest E	QZE725GKC50200	4	50	11x6-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Quest S	QZS735GKC54200	4	54	13x6.5-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Quest X	QZX735GKC48300	4	48	13x6.5-5	22x11-10	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf	37968
Lazer Z E	LZE651CKA484A2	4	48	13x5-6	23x9.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Lazer Z E	LZE751CKA524A2	4	52	13x5-6	23x9.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
Lazer Z E	LZE801CKA604A1	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	77185
Lazer Z E	LZE742GKC604A3	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	77185
Lazer Z E	LZE810GBV604A3	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	77185
Lazer Z E	LZE801GKA724A1	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	77185
Lazer Z S	LZS749AKC524A2	4	52	13x5-6	23x9.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
Lazer Z S	LZS801GKA524A2	4	52	13x5-6	23x9.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
Lazer Z S	LZS749AKC604A1	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z S	LZS801CKA60RA1	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z S	LZS749AKC604A1	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z S	LZS801GKA604A1	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z S	LZS749AKC724A1	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z S	LZS801CKA72RA1	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z S	LZS749AKC72400	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z S	LZS801GKA72A1	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX940EKC60600	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX980EKC726W0	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX801CKA606C1	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX801CKA726C1	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX801GKA526Q1	4	52	13x5-6	23x9.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX801GKA606A1	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX921GKA606Q1	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX921GKA726Q1	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX980EKC606R1	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX980EKC726R1	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX980EKC96RW0	4	96	13x6.5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf XL	40453
Lazer Z X	LZX993EBV606X1	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z X	LZX993EBV726X1	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Lazer Z Diesel	LZS80TDYM604W0	5	60	15x6-6	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X-Tweel Turf XL	25913
Lazer Z Diesel	LZS80TDYM724W0	5	72	15x6-6	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X-Tweel Turf XL	25913
Lazer Z Diesel	LZS80TDYM72RW0	5	72	15x6-6	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X-Tweel Turf XL	25913
Lazer Z Diesel	LZS86TDYM12RW0	5	144	15x6-6	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X-Tweel Turf XL	25913
Lazer Z Diesel	LZS88CDYM96RW0	5	96	15x6-6	26x12-12	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X-Tweel Turf XL	25913
Navigator	NVS730AKC48000	4	48	8x3-4	18x10.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Navigator	NVS740CKC42000	4	42	8x3-4	18x10.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Staris E	STE600CKA323H1	4	32	9x4.5-5	21x7-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Staris E	STE600CKA363H1	4	36	9x4.5-5	21x7-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Vertex E	VXE600GKA32300	4	32	10x4.5-5	21x7-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Vertex E	VXE600GKA36300	4	36	10x4.5-5	21x7-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Vertex S	VXS730GKA48400	4	48	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Vertex S	VXS730GKA52400	4	52	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Vertex S	VXS740EKC52400	4	52	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Vertex S	VXS730GKA60400	4	60	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Vertex S	VXS740EKC60400	4	60	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Vertex S	VXS740AKC48400	4	48	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Vertex S	VXS740AKC52400	4	52	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Vertex X	VXX999EKA52600	4	52	15x6-6	24x9-12	15X6N6	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Vertex X	VXX999EKA60600	4	60	15x6-6	24x12-12	15X6N6	No Confirmed Fitment	24x12N12 X-Tweel Turf XL	06358
Vertex X	VXX999EKA72600	4	72	15x6-6	24x12-12	15X6N6	No Confirmed Fitment	24x12N12 X-Tweel Turf XL	06358
Vertex X	VXX999GKA52600	4	52	15x6-6	24x9-12	15X6N6	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Vertex X	VXX999GKA60600	4	60	15x6-6	24x12-12	15X6N6	No Confirmed Fitment	24x12N12 X-Tweel Turf XL	06358
Vertex X	VXX999GKA72600	4	72	15x6-6	24x12-12	15X6N6	No Confirmed Fitment	24x12N12 X-Tweel Turf XL	06358
Vertex V	VXV060B1852A00	4	52	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
Turf Tracer S	TTS600CKA363E0	4	36	9x3.5-4	16x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Turf Tracer S	TTS600CKA483E0	4	48	9x3.5-4	16x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Turf Tracer S	TTS481GKA48300	4	48	9x3.5-4	16x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Turf Tracer S	TTS600GKA523E0	4	52	9x3.5-4	16x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Turf Tracer X	TTX691CKA52400	4	52	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Turf Tracer X	TTX691CKA60400	4	60	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Turf Tracer X	TTX650EKC52400	4	52	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Turf Tracer X	TTX650EKC60400	4	60	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Turf Tracer X	TTX650EKC604N0	4	60	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
<b>FERRIS</b>									
F60Z		4	36	11x4-5	20x7-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
F160Z		5	48	13x6.5-6	24x9.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
F210Z		5	61	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	54411
F320Z		5	61	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
300S		4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
300S		4	48	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
300S		4	52	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
400S		4	48	11x4-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
500S		4	48	13x6.5-6	22x10-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
500S		4	52	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
500S		4	61	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
IS 600Z		4	44	13x5-6	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
IS 600Z		4	48	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	08755
IS 600Z		4	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	08755
IS 700Z		4	52	13x5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
IS 700Z		4	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf XL	08755
IS 700Z		4	60	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf XL	08755
IS 2100Z		5	52	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
IS 2100Z		5	61	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
IS 2600Z		5	61	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	54411
IS 3200Z		5	61	13x6.5-6	26x12-12	13X6.5N6	73818 or 41011 (38182)	26x12N12 X-Tweel Turf XL	25913
IS 6200		5	72	13x6.5-6	26x12-12	No Fitment	No Fitment	No Fitment	No Fitment
ISX 800		5	52	13x5-6	23x10.5-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
ISX 800		5	60	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
ISX 2200		5	52	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
ISX 2200		5	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
ISX 2200		5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
ISX 3300		5	60	13x6.5-6	26x12-12	13X6.5N6	73818 or 41011 (38182)	26x12N12 X-Tweel Turf XL	25913
ISX 3300		5	72	13x6.5-6	26x12-12	13X6.5N6	73818 or 41011 (38182)	26x12N12 X-Tweel Turf XL	25913
SRS Z3X		5	52	13x6.5-6	24x9.5-12	13X6.5N6	52442 or 05768 (65019)	24x12N12 X-Tweel Turf	14365
SRS Z3X		5	60	13x6.5-6	24x12-12	13X6.5N6	52442 or 05768 (65019)	24x12N12 X-Tweel Turf	54411
SRS Z3X		5	72	13x6.5-6	24x12-12	13X6.5N6	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
SRS Z2		5	52	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
SRS Z2		5	60	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
SRS Z1		4	36	11x4-5	23x8.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
SRS Z1		4	48	11x4-5	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
FW25		4	36	9x3.5-4	20x7-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
FW25		4	48	9x3.5-4	20x7-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
FW45		4	48	11x4-5	20x7-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
FW45		4	52	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
FW45		4	61	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
ProCut S		5	61	11x4-5	22x10-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	47260
<b>GRASSHOPPER</b>									
MidMount 100V	124V	5	41	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
MidMount 100V	124V	5	48	13x6.5-6	20x10-10	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 100V	125V	5	48	13x6.5-6	20x10-10	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 100V	125V	5	52	13x6.5-6	20x10-10	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 100V	125V	5	61	13x6.5-6	20x12-10	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 100V	126V	5	52	13x6.5-6	20x10-10	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 100V	126V	5	61	13x6.5-6	20x12-10	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 100V	127V	5	52	13x6.5-6	20x10-10	13X6.5N6	73818 or 41011	18x8.5N10 X-Tweel Turf	78245
MidMount 100V	127V	5	61	13x6.5-6	20x12-10	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 200V-G4	225V-G4	5	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 200V-G4	225V-G4	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 200V-G4	226V-G4	5	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 200V-G4	226V-G4	5	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 200V-G4	227V-G4 EFI	5	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 200V-G4	227V-G4 EFI	5	61	13x6.5-6	23x12-12	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 200	225	5	48	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 200	225	5	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 200	225	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	329B	5	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	329B	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	329B	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	335	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	335	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	335B	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	335B	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	321D	5	48	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
MidMount 300	325D	5	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	325D	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	325D	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	329	5	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	329	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 300	329	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
Midmount 300G	328G4 EFI	5	52	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
Midmount 300G	328G4 EFI	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
Midmount 300G	329G4 EFI	5	52	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
Midmount 300G	329G4 EFI	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
Midmount 300G	333G5 EFI	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
Midmount 300G	333G5 EFI	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
Midmount 300G	337G5 EFI	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
Midmount 300G	337G5 EFI	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 400	400D 1.3L	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 400	400D 1.3L	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 400	432	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 400	432	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
MidMount 400	440	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
MidMount 400	440	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
FrontMount 500V	524V-42	5	42	13x6.5-6	20x8-10	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
FrontMount 500V	526V-52	5	52	13x6.5-6	20x8-10	13X6.5N6	73818 or 41011	No Confirmed Fitment	No Confirmed Fitment
FrontMount 600	623T	5	48	13x6.5-6	20x10-8	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 600	623T	5	52	13x6.5-6	20x10-8	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	725KT	5	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	725KT	5	61	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	725KT	5	72	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	727T EFI	5	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	727T EFI	5	61	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	727T EFI	5	72	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	729 BT	5	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	729 BT	5	61	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	729 BT	5	72	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	735 BT	5	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	735 BT	5	61	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	735 BT	5	72	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	721DT	5	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	725DT	5	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	725DT	5	61	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	725DT	5	72	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	729T	5	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	729T	5	61	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 700	729T	5	72	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 X-Tweel Turf XL	47260
FrontMount 900	900D 1.3L	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
FrontMount 900	900D 1.3L	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
FrontMount 900	932	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
FrontMount 900	932	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
FrontMount 900	940 EFI	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
FrontMount 900	940 EFI	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	54411
<b>GRAVELY</b>									
Pro-Turn 100		5	48/52/60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411
Pro-Turn 200		5	52/60/72	15x6-6	24x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	54411
Pro-Turn 400		5	52/60/72	15x6-6	24x12-12	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	54411
PRO TURN EV	997001	4	60	13x6.5-6	22x12-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf XL	08755
PRO TURN EV	997002	4	60	13x6.5-6	22x12-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf XL	08755
PRO TURN EV	997005	4	48	13x6.5-6	22x10-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
PRO TURN EV	997008	4	48	13x6.5-6	22x10-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
PRO TURN EV	997006	4	52	13x6.5-6	22x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
PRO TURN EV	997009	4	52	13x6.5-6	22x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
PRO TURN EV	997007	4	60	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
PRO TURN EV	997010	4	60	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
Pro-Turn 300		5	48/52/60/72	15x6-6	24x12-16	15X6N6	49136 (34193)	24x12N12 X-Tweel Turf	54411
Pro-Turn 500		5	52/60/72	15x6-6	26x12-16	15X6N6	49136 (34193)	26x12N12 X-Tweel Turf XL	25913
Pro-Turn 600		5	52/60/72	15x6-6	26x12-16	15X6N6	49136 (40653)	26x12N12 X-Tweel Turf XL	25913
Pro-Turn Mach One	992515	5	60	15x6-6	26x12-16	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X-Tweel Turf XL	25913
Pro-Turn ZX	991286	4	48	13x6.5-6	22x10-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
Pro-Turn ZX	991288	4	52	13x6.5-6	22x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
Pro-Turn ZX	991290	4	60	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Compact-Pro	991144	4	34	13x5-6	21x7-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Compact-Pro	991145	4	44	13x5-6	20.5x8-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Pro-Stance EV		4	48/52/60	13x6.5-6	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Pro-Stance		4	32/36	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Pro-Stance		4	48/52/60	13x6.5-6	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z-Stance		4	32/48/52	11x5-6	20x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Pro-Walk	988184	4	36	11x4-5	21x7-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Pro-Walk		4	48/52/60	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
ZT	915288	1	34	11x4-5	18x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZT	915289	1	42	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	No Confirmed Fitment
ZT	915290	1	52	11x4-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
ZT X	915255	4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
ZT X	915256	4	52	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZT X	915257	4	52	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZT X	915274	4	60	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZT X	918008	4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
ZT X		4	48/52	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
ZT XL	915259	4	42	11x6-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
ZT XL	915262	4	42	11x6-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
ZT XL	915261	4	48	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZT XL	915258	4	52	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZT XL	915263	4	52	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZT XL	915260	4	60	11x6-5	20x12-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZT XL	915264	4	60	11x6-5	20x12-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZT XL	918012	4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
ZT XL		4	48/52/60	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
ZT HD	991160	4	44	13x6.5-6	22x10-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991267	4	44	13x6.5-6	22x10-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991162	4	48	13x6.5-6	22x10-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991152	4	48	13x6.5-6	22x10-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991269	4	48	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991164	4	52	13x6.5-6	22x10.5-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991154	4	52	13x6.5-6	22x10.5-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991277	4	52	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991166	4	60	13x6.5-6	22x12-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991156	4	60	13x6.5-6	22x12-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991279	4	60	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZT HD	991266	4	44	13x6.5-6	22x10-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
ZT HD	991268	4	48	13x6.5-6	22x10-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
ZT HD	991270	4	52	13x6.5-6	22x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
ZT HD	991276	4	52	13x6.5-6	22x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
ZT HD	991272	4	60	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
ZT HD	991278	4	60	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
ZT HD Stealth	991271	4	52	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
ZT HD Stealth	991983	4	60	13x6.5-6	22x12-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
<b>GRAZE</b>									
Graze		4	60	18x8.5-10	18x8.5-10	18x8.5N10 X-Tweel Turf	01133	18x8.5N10 X-Tweel Turf	01133
<b>GREENWORKS</b>									
CrossoverZ	60v	4	42	10	20	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
CrossoverZ	80v	4	42	10	20	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
CrossoverT	60v	4	42	15	20	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
CrossoverT	80v	4	42	15	20	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
OptimusZ	CZ60R18X	10	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 XL X-Tweel Turf	07097
OptimusZ	CZ60S18X (Stand-on)	10	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 XL X-Tweel Turf	07097
OptimusZ	CZ60R24X	10	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 XL X-Tweel Turf	07097
OptimusZ	CZ60S24X (Stand-on)	10	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 XL X-Tweel Turf	07097
OptimusZ Series 5	OZ560	10	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 XL X-Tweel Turf	07097
OptimusZ Series 7	O5760 (Stand-on)	10	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 XL X-Tweel Turf	07097
OptimusZ Series 7	OZ760	10	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 XL X-Tweel Turf	07097
OptimusZ Series 9	O5960 (Stand-on)	10	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 XL X-Tweel Turf	07097
OptimusZ Series 9	OZ960	10	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 XL X-Tweel Turf	07097
OptimusZ Series 9	OZ960R	10	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 XL X-Tweel Turf	07097
<b>HONDA</b>									
AWM		5	60	13x6.5-6	24x12-12	13X6.5N6		24x12N12 X-Tweel Turf	54411
<b>HUSTLER</b>									
Dash		1	34	11x4-5	16x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Dash		1	42	11x4-5	16x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Dash XD		1	34	11x4-5	16x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Dash XD		1	42	11x4-5	16x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Dash XD		1	48	11x4-5	16x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Raptor X		1	42	11x5-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Raptor X		1	54	11x6-5	18x10.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Raptor XDX		4	48	13x6.5-6	22x9.5-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Raptor XDX		4	54	13x6.5-6	22x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Raptor XDX		4	60	13x6.5-6	22x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Trimstar Walk-Behind		4	36	11x4-4	18x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Trimstar Walk-Behind		4	48	11x4-4	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Trimstar Walk-Behind		4	58	11x4-4	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
TrimStar		4	36	11x4-5	20x6.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TrimStar		4	48	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
TrimStar		4	54	11x4-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
TrimStar		4	60	11x4-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Super S Stand-On		5	36	11x4-4	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Super S Stand-On		5	48	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Super S Stand-On		5	52	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Super S Stand-On		5	60	13x5-6	20x12-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Super S		5	36	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Super S		5	48	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
Super S		5	52	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
Super S		5	60	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	54411
Super SF		5	60	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X Tweel Turf XL	25913
Super SF		5	72	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X Tweel Turf XL	25913
Surfer Pro		1	34	11x4-5	18x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Surfer Pro		1	48	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Raptor SD		4	36	13x5-6	20x6.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Raptor SD		4	42	13x5-6	20x6.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Raptor SD		4	48	13x5-6	20x8-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Raptor SD		4	54	13x6.5-6	20x12-10	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
Raptor SD		4	60	13x6.5-6	20x12-10	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
X-One		5	52	13x6.5-6	24x9.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
X-One		5	54	13x6.5-6	24x9.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
X-One		5	60	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	54411
X-One		5	72	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	54411
Super Z		5	54	13x6.5-6	26x9.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
Super Z		5	60	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	14365
Super Z		5	66	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	14365
Super Z		5	72	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	14365
Hyperdrive		5	60	13x6.5-6	26x14-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Hyperdrive	Rear Discharge	5	60	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Hyperdrive		5	66	13x6.5-6	26x14-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Hyperdrive		5	72	13x6.5-6	26x14-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Hyperdrive	Rear Discharge	5	72	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Super Z Hyperdrive		5	60	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Super Z Hyperdrive		5	66	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Super Z Hyperdrive		5	72	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Super 104		5	104	15x6-6	26x12-12	15X6N6	31716 (65019)	26x12N12 X-Tweel Turf XL	25913
Diesel Z	Rear/Side Discharge	5	60	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	14365
Diesel Z	Rear/Side Discharge	5	72	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	14365
Fastrak SDX		4	48	13x6.5-6	23x9.5-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Fastrak SDX		4	54	13x6.5-6	23x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Fastrak SDX		4	60	13x6.5-6	23x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Raptor SDX		4	48	13x5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Raptor SDX		4	54	13x6.5-6	22x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Raptor SDX		4	60	13x6.5-6	22x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Fastrak	Side Discharge	4	48	13x6.5-6	23x9.5-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Fastrak	Side Discharge	4	54	13x6.5-6	23x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Fastrak	Side Discharge	4	60	13x6.5-6	23x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Fastrak	Rear Discharge	4	48	13x6.5-6	23x9.5-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Fastrak	Rear Discharge	4	54	13x6.5-6	23x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
<b>HUSQVARNA</b>									
Xcite	Z350	4	54	13x6.5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Xcite	Z380	4	5	13x6.5-6	22x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Z100	Z142	4	42	11x4-5	18x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z100	Z146	4	46	11x4-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z200	Z242F	4	42	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z200	Z246	4	46	11x4-6	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z200	Z254	4	54	11x6-5	18x9.5 8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z200	Z248F	4	48	11x4-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z200	Z254F	4	54	11x6-5	18x9.5 8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
MZ	MX54	4	54	13x6.5-6	22x10-10	13X6.5N6	41011 (40653)	22x11N12 X-Tweel Turf	37968
MZ	MZ48	4	48	13x6.5-6	22x10-10	13X6.5N6	41011 (40653)	22x11N12 X-Tweel Turf	37968
MZ	MZ54	4	54	13x6.5-6	22x10-10	13X6.5N6	41011 (40653)	22x11N12 X-Tweel Turf	37968
MZ	MZ61	4	61	13x6.5-6	22x10-10	13X6.5N6	41011 (40653)	22x11N12 X-Tweel Turf	37968
M-ZT	M-ZT52	4	52	13x6.5-6	23x10.5-12	13X6.5N6	41011 (40653)	24x12N12 X-Tweel Turf	77185
M-ZT	M-ZT61	4	61	13x6.5-6	23x10.5-12	13X6.5N6	41011 (40653)	24x12N12 X-Tweel Turf	77185
Z400	Z448	4	48	13x6.5-6	22x10-10	13X6.5N6	41011 (40653)	22x11N12 X-Tweel Turf	37968
Z400	Z454	4	54	13x6.5-6	22x10-10	13X6.5N6	41011 (40653)	22x11N12 X-Tweel Turf	37968
Z400	Z454XS	4	54	13x6.5-6	23x10.5-12	13X6.5N6	41011 (40653)	24x12N12 X-Tweel Turf	77185
Z400	Z460	4	60	13x6.5-6	22x10-10	13X6.5N6	41011 (40653)	22x11N12 X-Tweel Turf	37968
Z400	Z460XS	4	60	13x6.5-6	23x10.5-12	13X6.5N6	41011 (40653)	24x12N12 X-Tweel Turf	77185

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Z500	Z560X	4	60	13x6.5-6	24x12-12	13X6.5N6	41011 (40653)	24x12N12 X-Tweel Turf	77185
Z500	Z572X	4	72	13x6.5-6	24x12-12	13X6.5N6	41011 (40653)	24x12N12 X-Tweel Turf	77185
Z500	Z548	4	48	13x6.5-6	23x8.5-12	13X6.5N6	41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
Z500	Z554 / Z554L	4	54	13x6.5-6	23x10.5-12	13X6.5N6	41011 (40653)	24x12N12 X-Tweel Turf	77185
Z500	Z560 / Z560L / Z560LS	4	60	13x6.5-6	24x12-12	13X6.5N6	41011 (40653)	24x12N12 X-Tweel Turf	77185
Z500	Z554X	4	54	13x6.5-6	23x10.5-12	13X6.5N6	41011 (40653)	24x12N12 X-Tweel Turf	77185
<b>JOHN DEERE</b>									
Ztrak Z500	Z540M	4	48	13x5-6	22x9.5-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Ztrak Z500	Z540M	4	54	13x5-6	22x9.5-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Ztrak Z500	Z540M	4	62	13x5-6	22x9.5-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Ztrak Z500	Z540R	4	48	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	50357
Ztrak Z500	Z540R	4	54	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	50357
Ztrak Z500	Z540R	4	60	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	50357
Ztrak Z700	Z720E	4	48	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	22487
Ztrak Z700	Z720E	4	54	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z700	Z720E	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z700	Z730M	4	54	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z700	Z730M	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z700	Z735E	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z700	Z735M	4	48	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	22487
Ztrak Z700	Z735M	4	54	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z700	Z735M	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z700	Z740R	4	48	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	22487
Ztrak Z700	Z740R	4	54	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z700	Z740R	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z900	Z915E	4	48	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	22487
Ztrak Z900	Z915E	4	54	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z915E	4	60	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z920M	4	48	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	22487
Ztrak Z900	Z920M	4	54	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z920M	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z925M	4	54	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z925M	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z930M	4	54	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z930M	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z930R	4	54	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z930R	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z950M	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z950M	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z900	Z950R	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z950R	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z900	Z960	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z960	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z900	Z970R	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
Ztrak Z900	Z970R	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
Ztrak Z900	Z994	4	54	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf XL	40453
Ztrak Z900	Z994	4	60	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf XL	40453
Ztrak Z900	Z994	4	72	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf XL	06358
Ztrak Z900	Z997	4	54	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
Ztrak Z900	Z997	4	60	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Ztrak Z900	Z997	4	72	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	08189
QuikTrak 600	652E	4	52	11x4-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
QuikTrak 600	636M	4	36	11x4-5	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	No Confirmed Fitment
QuikTrak 600	648M	4	48	11x4-5	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
QuikTrak 600	652M	4	52	11x4-5	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
QuikTrak 600	648R	4	48	13x6.5-6	20x10-8	13X6.5N6	73818 or 41011	18x8.5N10 X-Tweel Turf	01133
QuikTrak 600	652R	4	52	13x6.5-6	20x10-8	13X6.5N6	73818 or 41011	18x8.5N10 X-Tweel Turf	01133
QuikTrak 600	652R EFI	4	52	13x6.5-6	20x10-8	13X6.5N6	73818 or 41011	18x8.5N10 X-Tweel Turf	01133
QuikTrak 600	661R	4	61	13x6.5-6	20x10-8	13X6.5N6	73818 or 41011	18x8.5N10 X-Tweel Turf	01133
QuikTrak 800	810E	4	36	11x4-5	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
QuikTrak 800	820E	4	48	11x4-5	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
QuikTrak 800	820M	4	48	11x4-5	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
QuikTrak 800	820M	4	54	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 XL X-Tweel Turf	08755
QuikTrak 800	820M	4	60	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 XL X-Tweel Turf	08755
QuikTrak 800	850M	4	54	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 XL X-Tweel Turf	08755
QuikTrak 800	850M	4	60	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011	22x11N12 XL X-Tweel Turf	08755
QuikTrak 800	850R	4	54	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	50357
QuikTrak 800	850R	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
QuikTrak 800	865 EFI	4	60 SD	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
<b>KIOTI</b>									
ZXR	ZXR48	4	48	13x5-6	22x9.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZXR	ZXR54	4	54	13x5-6	22x9.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZXR	ZXR60	4	60	13x6.5-6	23x9.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
ZXR SE	ZXR48 SE	4	48	13x5-6	23x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZXR SE	ZXR54 SE	4	54	13x5-6	23x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZXR SE	ZXR60 SE	4	60	13x6.5-6	23x9.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
ZXC	ZXC48	4	48	13x6.5-6	23x9.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
ZXC	ZXC54	4	54	13x6.5-6	23x9.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
ZXC	ZXC60	4	60	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ZXC SE	ZXC48 SE	4	48	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ZXC SE	ZXC54 SE	4	54	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ZXC SE	ZXC60 SE	4	60	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ZXC LT	ZXC48LT	4	48	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ZXC LT	ZXC54LT	4	54	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ZXC LT	ZXC60LT	4	60	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	50357
ZXS	ZXS48	4	48	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	50357
ZXS	ZXS54	4	54	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	50357
ZXD	ZXD61	5	61	15x6.5-8	26x12-16	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	25913
ZXD	ZXD72	5	72	15x6.5-8	26x12-16	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	25913
<b>KUBOTA</b>									
ZD1200	ZD1211-60	5	60	15x6-6	26x12-16	15X6N6	49136 (38182)	26x12N12 X Tweel Turf XL	25913
ZD1200	ZD1211R-60R	5	60	15x6-6	26x12-16	15X6N6	49136 (38182)	26x12N12 X Tweel Turf XL	25913
ZD1200	ZD1211L-72	5	72	15x6-6	26x12-16	15X6N6	49136 (38182)	26x12N12 X Tweel Turf XL	25913
ZD1200	ZD1211RL-72R	5	72	15x6-6	26x12-16	15X6N6	49136 (38182)	26x12N12 X Tweel Turf XL	25913
Z100	Z122R-42	4	42	11x4-5	18x7.5-14	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z100	Z121S-48	4	48	11x4-6	22x10-14	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Z100	Z122E-48	4	48	11x4-6	22x10-14	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Z100	Z125E-54	4	54	11x4-6	22x10-14	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Z100	Z125S-54	4	54	11x4-6	22x10-14	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Z200	Z231KW-42	4	42	11x4-5	18x7.5-14	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Z200	Z231BR-48	4	48	11x4-5	22x10-14	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Z200	Z231KH-48	4	48	11x4-5	22x10-14	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Z200	Z232KW-42	4	42	11x4-5	18x7.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z200	Z242KW-48	4	48	13x6.5-6	22x10-14	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
Z200	Z242KH-48	4	48	13x6.5-6	22x10-14	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
Z200	Z251BR-54	4	54	11x4-5	22x10-14	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Z200	Z251KH-54	4	54	11x4-5	22x10-14	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Z200	Z252KW-54	4	54	13x6.5-6	22x10-14	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
Z200	Z252KH-54	4	54	13x6.5-6	22x10-14	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
ZD300	all models	5	60	15x6-6	26x12-16	15X6N6	49136 (38182)	26x12N12 X Tweel Turf XL	25913
ZD300	all models	5	72	15x6-6	26x12-16	15X6N6	49136 (38182)	26x12N12 X Tweel Turf XL	25913
Z400	Z411KW-48	4	48	13x5-6	24x9.5-14	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z400	Z411KW-3-48	4	48	13x5-6	24x9.5-14	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z400	Z412KW-48	4	48	13x5-6	24x9.5-14	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z400	Z421KW-54	4	54	13x5-6	24x9.5-14	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z400	Z421KW-3-54	4	54	13x5-6	24x12-14	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	50357
Z400	Z421KWT-60	4	60	13x6.5-6	24x12-14	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Z400	Z421KWT-3-60	4	60	13x6.5-6	24x12-14	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Z400	Z422KW-54	4	54	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	50357
Z400	Z422KWT-60	4	60	13x6.5-6	24x12-14	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
Z700	Z723KH-48	5	48	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700	Z724KH-54	5	54	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700	Z725KH-60	5	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	59498 or 54411
Z700	Z723KH-3-48	5	48	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700	Z724KH-3-54	5	54	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700	Z725KH-3-60	5	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	59498 or 54411
Z700	Z724XKW-48	5	48	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700	Z724XKW-54	5	54	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700	Z724XKW-3-48	5	48	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700	Z724XKW-3-54	5	54	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700	Z726XKW-60	5	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	59498 or 54411
Z700	Z726XKW-3-60	5	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	59498 or 54411
Z700 EFI	Z723KH-2-48	5	48	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700 EFI	Z724KH-2-54	5	54	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700 EFI	Z725KH-2-60	5	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	59498 or 54411
Z700 EFI	Z724XKW-2-48	5	48	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700 EFI	Z724XKW-2-54	5	54	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Z700 EFI	Z726XKW-2-60	5	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	59498 or 54411
Z700 EFI	Z751KWi-48	5	48	13x6.5-6	24x9.5-14	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
Z700 EFI	Z781KWi-54	5	54	13x6.5-6	24x9.5-14	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
Z700 EFI	Z781KWi-60	5	60	13x6.5-6	24x12-14	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	59498 or 54411
ZD1000	ZD1011-48	5	48	13x5-6	24x9.5-14	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZD1000	ZD1011-54	5	54	13x5-6	24x9.5-14	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZD1000	ZD1021-60	5	60	13x6.5-6	24x12-14	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	59498 or 54411
ZD1000	ZD1611	5	60	15x6.5-8	26x12-16	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	25913
ZD1000	ZD1611	5	72	15x6.5-8	26x12-16	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	25913
ZD1200	ZD1211-3-60	5	60	13x6.5-6	26x12-16	13X6.5N6	73818 or 41011 (40653)	26x12N12 X Tweel Turf XL	25913
ZD1200	ZD1211R-3-60R	5	60	13x6.5-6	26x12-16	13X6.5N6	73818 or 41011 (40653)	26x12N12 X Tweel Turf XL	25913
ZD1200	ZD1211L-3-72	5	72	13x6.5-6	26x12-16	13X6.5N6	73818 or 41011 (40653)	26x12N12 X Tweel Turf XL	25913
ZD1200	ZD1211RL-3-72R	5	72	13x6.5-6	26x12-16	13X6.5N6	73818 or 41011 (40653)	26x12N12 X Tweel Turf XL	25913

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
ZD1500	ZD1511RL-60R	5	60	15x6.5-8	26x12-16	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	25913
ZD1500	ZD1511LF-72	5	72	15x6.5-8	26x12-16	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	25913
ZD1500	ZD1511RLF-72R	5	72	15x6.5-8	26x12-16	No Confirmed Fitment	No Confirmed Fitment	26x12N12 X Tweel Turf XL	25913
ZG200	ZG222A-48	5	48	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZG200	ZG227A-54	5	54	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZG200	ZG227LA-60	5	60	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZG200	ZG327PA-60	5	60	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	25913
ZG200	ZG222A-48	5	48	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZG200	ZG227A-54	5	54	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZG200	ZG227LA-60	5	60	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZG300	ZG327PA-60	5	60	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	25913
ZG300	ZG327RPA-60	5	60	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	25913
ZG300	ZG327RPA-60	5	60	15x6-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X Tweel Turf XL	25913
SZ Series	SZ19-36	4	36	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
SZ Series	SZ19NC-36-2	4	36	11x6-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
SZ Series	SZ22-48	4	48	13x6.5-6	23x8.5-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
SZ Series	SZ22NC-48-2	4	48	13x6.5-6	23x8.5-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
SZ Series	SZ26-52	4	52	13x6.5-6	23x8.5-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
SZ Series	SZ26NC-52-2	4	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
SZ Series	SZ26-61	4	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
SZ Series	SZ26NC-61-2	4	61	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
F Series	F2690	5F, 4R	60	24x12-12	18x9.5-8	24x12N12 X-Tweel Turf XL	79478	18x8.5N10 X-Tweel Turf	01133
F Series	F2690	5F, 4R	72	24x12-12	18x9.5-8	24x12N12 X-Tweel Turf XL	79478	18x8.5N10 X-Tweel Turf	01133
F Series	F2690E	5F, 4R	60	23x10.5-12	16x6.5-8	24x12N12 X-Tweel Turf XL	79478	18x8.5N10 X-Tweel Turf	01133
F Series	F2690E	5F, 4R	72	23x10.5-12	16x6.5-8	24x12N12 X-Tweel Turf XL	79478	18x8.5N10 X-Tweel Turf	01133
F Series	F3710	5F, 4R	60	24x12-12	18x9.5-8	24x12N12 X-Tweel Turf XL	79478	18x8.5N10 X-Tweel Turf	01133
F Series	F3710	5F, 4R	72	24x12-12	18x9.5-8	24x12N12 X-Tweel Turf XL	79478	18x8.5N10 X-Tweel Turf	01133
W Series	WHF14NC-36-2	4	36	11x6-5	20x5-6	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
W Series	WHF15NC-48-2	4	48	11x6-5	20x8-6	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
W Series	WHF19NC-52-2	4	52	11x6-5	20x8-6	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
<b>LASTEC</b>									
All Models						No Fitment	No Fitment	No Fitment	No Fitment
<b>MEAN GREEN</b>									
Evo	EVO74R350	10	74"	13x6.5N6	26x12-12	13x6.5N6	41011 (34578)	26x12N12 X-Tweel Turf XL	75935
Evo	EVO74R220	10	74"	13x6.5N6	26x12-12	13x6.5N6	41011 (34578)	26x12N12 X-Tweel Turf XL	75935
Evo	EVO74R145	10	74"	13x6.5N6	26x12-12	13x6.5N6	41011 (34578)	26x12N12 X-Tweel Turf XL	75935
Rival	RVL52R220	10	52"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Rival	RVL52S220	10	52"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Rival	RVL60R220	10	60"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Rival	RVL60S220	10	60"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Rival	RVL52R145	10	52"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Rival	RVL52S145	10	52"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Rival	RVL60R145	10	60"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Rival	RVL60S145	10	60"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Vanquish	VQS52R220	10	52"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Vanquish	VQS52S220	10	52"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Vanquish	VQS60R220	10	60"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Vanquish	VQS60S220	10	60"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Vanquish	VQS52R145	10	52"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Vanquish	VQS52S145	10	52"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Vanquish	VQ560R145	10	60"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Vanquish	VQ560S145	10	60"	13x6.5N6	24x12-12	13x6.5N6	41011 (34578)	24x12N12 X-Tweel Turf	17774
Fury		5		11	20	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Nemesis		4		11	22	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
<b>PRORUN</b>									
All Models						No Fitment	No Fitment	No Fitment	No Fitment
<b>RAYMO</b>									
Raymo		4		18x9.5-8	15x6-6	18x8.5-10	01133	No Confirmed Fitment	No Confirmed Fitment
<b>RC MOWERS</b>									
RC Mowers	A-60	4	60	13x6.5-6	22x12-12	13X6.5N6		22x11N12 X-Tweel Turf XL	08755
<b>REDMAX</b>									
RZT	RZT42	4	42	11x5-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
RZT	RZT48	4	48	11x5-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
RZT	RZT54	4	54	11x5-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
RZT	RZT48x	4	48	13x5-6	22x10-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
RZT	RZT54x	4	54	13x5-6	22x10-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
RZT	RZT61x	4	61	13x5-6	22x10-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
CZTE	CZTE54	4	54	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf XL	08755
CZTE	CZTE60	4	60	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf XL	08755
CZT	CZT54+	4	54	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf XL	08755
CZT	CZT60+	4	60	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf XL	08755
CZT	CZT54x	4	54	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf XL	08755
CZT	CZT60x	4	60	13x6.5-6	24x12-12	13X6.5N6		24x12N12 X-Tweel Turf	77185
CZT	CZT72x	4	72	13x6.5-6	24x12-12	13X6.5N6		24x12N12 X-Tweel Turf	77185
CZT	CZT60TX	4	60	13x6.5-6	24x12-12	13X6.5N6		24x12N12 X-Tweel Turf	77185
CV	CV48	4	48	13x6.5-6	20x10-10	13X6.5N6		18x8.5N10 X-Tweel Turf	78245
CV	CV54	4	54	13x6.5-6	20x10-10	13X6.5N6		18x8.5N10 X-Tweel Turf	78245
<b>SCAG</b>									
Patriot	SPZ52H	4	52	13x6.5-6	22x10.5-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	77185
Patriot	SPZ561H	4	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	77185
Tiger Cat II	STCII-48	4	48	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	77185
Tiger Cat II	STCII-52	4	52	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	77185
Tiger Cat II	STCII-61	4	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	77185
Turf Tiger II	STTII-52V	4	52	13x6.5-6	26x9.5-12	13X6.5N6	73818 or 41011 (40653)	26x12N12 X-Tweel Turf XL	08189
Turf Tiger II	STTII-61V	4	61	13x6.5-6	26x12-12	13X6.5N6	73818 or 41011 (40653)	26x12N12 X-Tweel Turf XL	47623
Turf Tiger II	STTII-72V	4	72	13x6.5-6	26x12-12	13X6.5N6	73818 or 41011 (40653)	26x12N12 X-Tweel Turf XL	47623
V-Ride II	SVRII-32A	4	32	11x4-5	20x6.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
V-Ride II	SVRII-36A	4	36	11x4-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
V-Ride II	SVRII-48V	4	48	13x5-6	24x9.5-12	No Fitment	No Fitment	24x12N12 X-Tweel Turf	77185
V-Ride II	SVRII-52V	4	52	13x5-6	24x9.5-12	No Fitment	No Fitment	24x12N12 X-Tweel Turf	77185
V-Ride II	SVRII-61V	4	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011	24x12N12 X-Tweel Turf	77185
V-Ride XL	All Models	5	61	13x6.5-6	24x12-12	13X6.5N6	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
Cheetah	all models	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411 (1)
Cheetah	all models	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411 (1)
Cheetah II	SCZII-61	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411 (1)
Cheetah II	SCZII-72	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	54411 (1)
Freedom Z	SFZ-48H	4	48	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Freedom Z	SFZ-52H	4	52	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Liberty Z	SZL-36	4	36	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Liberty Z	SZL-42	4	42	11x4-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Liberty Z	SZL-48	4	48	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Liberty Z	SZL-52	4	52	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Liberty Z	SZL-61	4	61	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
EVZ	SEVZ-52H	4	52	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
<i>(1) Note: Spacer may be required.</i>									
<b>SCYTHE</b>									
Scythe		4	52		20x12-12			22x11N10 X-Tweel Turf XL	78245
<b>SIMPLICITY</b>									
Courier	2691520	4	36	11x4-5	18x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Courier	2691501	4	36	11x4-5	18x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Courier	2691479	4	42	11x4-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Courier	2691477	4	48	11x4-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Courier	2691478	4	52	11x4-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Courier	2691519	4	36	11x4-5	18x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Courier	2691318	4	42	11x4-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Courier	2691322	4	44	11x4-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Courier	2691502	4	44	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Courier	2691321	4	48	11x4-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Courier	2691324	4	52	11x4-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Courier	2691657	4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Courier	2691658	4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Courier	2691659	4	48	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Courier	2691660	4	48	11x6-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Courier	2691661	4	52	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Courier XT	2691814	4	52	13x6.5-6	22x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf XL	08755
Courier XT	2691815	4	61	13x6.5-6	22x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf XL	08755
Courier XT	2691952	4	48	13x6.5-6	22x10-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf XL	08755
Contender XT	5901742	4	48	11x4-5	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Contender XT	5901743	4	52	13x6.5-6	22x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Contender XT	5901744	4	61	13x6.5-6	22x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Citation XT	5901267	4	52	13x6.5-6	22x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Citation XT	5901259	4	61	13x6.5-6	22x11-10	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf	37968
Citation XT	5901954	5	52	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf XL	08755
Citation XT	5901984	5	61	13x6.5-6	23x10.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	22x11N12 X-Tweel Turf XL	08755
Cobalt	5901597	5	61	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	54411
Cobalt	5901748	5	61	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	54411
Cobalt LE	5901798	5	61	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Cobalt LE	5901799	5	72	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Ltd. Edition Zero Turn Series	5901798	5	61	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
Ltd. Edition Zero Turn Series	5901799	5	72	13x6.5-6	26x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	26x12N12 X-Tweel Turf XL	25913
<b>SPARTAN</b>									
Spartan Mowers	RZ	4	48	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
Spartan Mowers	RZ	4	54	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
Spartan Mowers	RZ C	4	42	13x6.5-6	20x7-10	13X6.5N6	73818 or 41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Spartan Mowers	RZ C	4	54	13x6.5-6	20x10-10	13X6.5N6	73818 or 41011 (38182)	18x8.5N10 X-Tweel Turf	01133
Spartan Mowers	RZ PRO	4	54	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
Spartan Mowers	RZ PRO	4	61	13x6.5-6	22x11-10	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
Spartan Mowers	RZ HD	4	48	13x6.5-6	22x10-10	13X6.5N6	73818 or 41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Spartan Mowers	RZ HD	4	54	13x6.5-6	22x12-10	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
Spartan Mowers	RZ HD	4	61	13x6.5-6	22x12-10	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Spartan Mowers	RT PRO	5	54	13x6.5-6	24x10.5-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	RT PRO	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	RT HD	5	54	13x6.5-6	24x10.5-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	RT HD	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	RT HD	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	SRT PRO		54	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	SRT PRO		61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	SRT HD		54	13x6.5-6	24x10.5-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	SRT HD		61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	SRT XD	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	SRT XD	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	SRT XDe	5	54	13x6.5-6	24x10.5-12	13X6.5N6	73818 or 41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Spartan Mowers	SRT XDe	5	61	13x6.5-6	24x14-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	Mark Mart SRT		61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	Mark Mart SRT		72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	KGZ-XD	5	61	13x6.5-6	24x14-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	KG-XD	5	54	13x6.5-6	24x10.5-12	13X6.5N6	73818 or 41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Spartan Mowers	KG-XD	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
Spartan Mowers	KG-PRO	5	54	13x6.5-6	24x10.5-12	13X6.5N6	73818 or 41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Spartan Mowers	KG-PRO	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	54411
<b>STEINER</b>									
Steiner	450	5		22x11-10	22x11-10	22x11N12 X-Tweel Turf XL	47260 (2)	22x11N12 X-Tweel Turf XL	47260 (2)
<i>Note: Tweels on the Steiner 450 must be used in a dual wheel configuration with the OEM dual wheel kit.</i>									
<b>STIHL</b>									
RZ	RZ 142	4	42	11x6-5	20x8-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
RZ	RZ 152	4	52	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
RZ	RZ 261	4	61	13x6.5-6	22x11-10	13X6.5N6		22x11N12 X-Tweel Turf	37968
RZ 500	RZ 552 [K]	5	52	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf XL	47260
RZ 500	RZ 560 [K]	5	60	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf XL	47260
RZ 700	RZ 752 [i] [K]	5	52	13x6.5-6	24x9.5-12	13X6.5N6		No Confirmed Fitment	No Confirmed Fitment
RZ 700	RZ 760 [i] [K]	5	60	13x6.5-6	24x12-12	13X6.5N6		24x12N12 X-Tweel Turf XL	79478
RZ 900	RZ 960 [i] [K]	5	60	13x6.5-6	26x12-12	13X6.5N6		26x12N12 X-Tweel Turf XL	25913
RZ 900	RZ 972 [i] [K]	5	72	13x6.5-6	26x12-12	13X6.5N6		26x12N12 X-Tweel Turf XL	25913
<b>TORO</b>									
1500 Series - Toro Titan HD	74453	4	48	13x6.5-6	22x9.5-12	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
1500 Series - Toro Titan HD	74454	4	52	13x6.5-6	22x9.5-12	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
1500 Series - Toro Titan HD	74452	4	60	13x6.5-6	22x10.5-12	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
1500 Series - Toro Titan HD	74453TE	4	48	13x6.5-6	22x9.5-12	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
1500 Series - Toro Titan HD	74454TE	4	52	13x6.5-6	22x9.5-12	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
2000 Series - Toro Titan HD	74465	4	48	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
2000 Series - Toro Titan HD	74466	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (38182)	22x11N12 X-Tweel Turf	37968
2000 Series - Toro Titan HD	74467	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series - Toro Titan HD	74480	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series - Toro Titan HD	74463	4	60	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77248	4	48	13x6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77260	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77283	4	52	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77280	4	48	13x6.5-6	24x9.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77281	4	48	13x6.5-6	24x9.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77283	4	52	13x6.5-6	24x9.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185

Série	Modèle	Boulons	Largeur de coupe (po)	Taille de l'équipement d'origine		Recommandation Michelin Tweel			
				Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
2000 Series	77284	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77285	4	60	13x6.5-6	24x9.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77287	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77288	4	60	13x6.5-6	24x9.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77290	4	52	13x6.5-6	24x9.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77291	4	52	13x6.5-6	24x9.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77293	4	60	13x6.5-6	23x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77294	4	60	13x6.5-6	24x9.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2000 Series	77299	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
2500 Series - Toro Titan HD	74471	4	52	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
2500 Series - Toro Titan HD	74472	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	50357
2500 Series - Toro Titan HD	78472	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	50357
3000 Series	74950	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
3000 Series	74952	4	48	13x6.5-6	23x9.5-12	13X6.5N6	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
3000 Series	74949	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
3000 Series	74949HD	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (40653)	22x11N12 X-Tweel Turf	37968
3000 Series	74958	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
3000 Series	74959	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
3000 Series	75932	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
3000 Series	75936	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
4000 Series	74000	4	48	13X6.5-6	24x9.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
4000 Series	74002	4	52	13X6.5-6	24x10.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
4000 Series	74004	4	60	13X6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
4000 Series	74035	4	60	13X6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	77185
4000 Series	74010	4	52	13X6.5-6	24x10.5-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
4000 Series	74015	4	60	13X6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
4000 Series	74022	4	72	15x6.5-6	26x12-12	15X6N6	05606	26x12N12 X-Tweel Turf XL	47623
4000 Series	74020	4	60	15x6.5-6	26x12-12	15X6N6	05606	26x12N12 X-Tweel Turf XL	47623
4000 Series	74024	4	72	15x6.5-6	26x12-12	15X6N6	05606	26x12N12 X-Tweel Turf XL	47623
4000 Series	74035	4	60	13X6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
4000 Series	74052	4	52	15x6.5-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X-Tweel Turf XL	47623
4000 Series	74055	4	60	15x6.5-6	26x12-12	15X6N6	49136 (34193)	26x12N12 X-Tweel Turf XL	47623
4000 Series	74050	4	52	15x6.5-6	26x12-12	15X6N6	05606	26x12N12 X-Tweel Turf XL	47623
4000 Series	74052	4	52	15x6.5-6	26x12-12	15X6N6	05606	26x12N12 X-Tweel Turf XL	47623
4000 Series	74054	4	60	15x6.5-6	26x12-12	15X6N6	05606	26x12N12 X-Tweel Turf XL	47623
4000 Series	74055	4	60	15x6.5-6	26x12-12	15X6N6	05606	26x12N12 X-Tweel Turf XL	47623
4000 Series	74057	4	60	15x6.5-6	26x12-12	15X6N6	05606	26x12N12 X-Tweel Turf XL	47623
5000 Series	74904	4	48	13x5-6	23x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
5000 Series	74906	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
5000 Series	74915	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	74918	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	74930	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	74933	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	74934	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	74942	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	74943	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	74945	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	75955	4	52	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	75951	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	72906	4	52	13x6.5-6	23x9.5-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
5000 Series	72910	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	72911	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	72912	4	72	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	72918	4	72	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	72921	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	72922	4	72	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	72930	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	72951	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
5000 Series	72955	4	52	13x6.5-6	23x9.5-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	74902TE	4	48	13x5-6	24x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
6000 Series	75969TE	4	52	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
6000 Series	74919TE	4	52	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
6000 Series	74925	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	74926	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	74928	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	74946	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	74947	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	74960	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	74961	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	75967	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	75968	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	74969	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72926	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72928	4	72	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72946	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72947	4	72	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72960	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72961	4	72	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72965	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72967	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72968	4	72	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72980	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
6000 Series	72982	4	72	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
7000 Series	74266	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
7000 Series	74267	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
7000 Series	74274	4	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
7000 Series	74264TE	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
7000 Series	74265TE	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (40653)	24x12N12 X-Tweel Turf	50357
7000 Series	74279TE	4	52	13x6.5-6	23x9.5-12	13X6.5N6	73818 or 41011 (40653)	No Confirmed Fitment	No Confirmed Fitment
7000 Series	72266	4	52	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
7000 Series	72267	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
7000 Series	72274	4	72	13x6.5-6	24x12-12	13X6.5N6	36271 (40653)	24x12N12 X-Tweel Turf	50357
7500 D Series	74028	5	60	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 D Series	74029	5	72	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 D Series	74072	5	72	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 D Series	74074	5	72	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 D Series	72028	5	60	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 D Series	72029	5	72	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 D Series	72074	5	72	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 D Series	72076	5	72	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
7500 D Series	72027	5	60	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 D Series	72030	5	72	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 D Series	72144	5	144	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 D Series	72098	5	96	15x6-6	26x12-12	15X6N6	49136 (34193)	No Fitment	No Fitment
7500 G Series	74090	5	96	13x6.5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
8000 Series	74311 TE	4	48	8X3-4	18x10.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
8000 Series	74312	4	48	8X3-4	18x10.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
8000 Series	74315	4	42	8X3-4	18x10.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
GrandStand	71504	4	48	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand	71505	4	52	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand	72504	4	48	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand	72505	4	52	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand	72509	4	60	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand	72510	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
GrandStand	72513	4	60	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand	72514	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
GrandStand	72517	4	60	13x6.5-6	24x12-12	13X6.5N6	36271 (38182)	24x12N12 X-Tweel Turf	77185
GrandStand	72518	4	48	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand	72519	4	52	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand	74534	4	36	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
GrandStand	74536	4	40	11x4-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand	79534	4	36	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand Multi Force	72523	4	60	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand Multi Force	72529	4	52	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand Multi Force	72524	4	60	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
GrandStand Multi Force	72530	4	52	11x4-5	20x10.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Proline	44409	4	36	9x3.5-4	18x6-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Proline	44410	4	36	9x3.5-4	18x6-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Proline	44423	4	48	11x4-5	20x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Proline	44424	4	48	11x4-5	20x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Proline	44427	4	54	11x4-5	20x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Proline	44430	4	60	11x4-5	20x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Proline HDX	44448	4	48	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Proline HDX	44454	4	54	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Proline HDX	44460	4	60	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Proline HDX	44436	4	36	11x4-5	18x6-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TimeCutter	3225	4	37	11x4-5	18x6-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
TimeCutter	75734	4	34	11x4-5	18x6-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TimeCutter	75740	4	42	11x4-5	18x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TimeCutter	75741	4	42	11x4-5	18x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TimeCutter	75742	4	42	11x4-5	18x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TimeCutter	75743	4	42	11x4-5	18x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TimeCutter	75746	4	42	11x4-5	18x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TimeCutter	75747	4	42	11x4-5	18x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TimeCutter	75748	4	42	11x4-5	18x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TimeCutter	75750	4	50	11x6-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
TimeCutter	75753	4	50	11x6-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
TimeCutter	75754	4	54	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
TimeCutter	75755	4	50	11x6-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
TimeCutter	75756	4	54	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
TimeCutter	75757	4	54	11x6-5	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
TimeCutter	75759	4	50	11x6-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
TimeCutter	75760	4	60	13x6.5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
TimeCutter	75762	4	60	13x6.5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
TimeCutter	77401	4	42	11x4-5	18x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
TimeCutter Havoc	75763	4	60	13x6.5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Titan	75304	4	48	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Titan	75305	4	54	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Titan	75306	4	60	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Titan	75310	4	54	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Titan	75314	4	48	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Titan	75315	4	54	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Titan	75316	4	60	13x6.5-6	22x11-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf	37968
Titan Max	76601	4	60	13x6.5-6	23x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
Titan Max Havoc	76602	4	60	13x6.5-6	23x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	77185
GrandStand Revolution	18560	4	52	11x4-5	20x10.5-12	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
GrandStand Revolution	18562	4	48	11x4-5	20x10.5-12	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
GrandStand Revolution	18564	4	60	11x4-5	20x10.5-12	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Z Master Revolution	18748	4	48	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (38182)	No Confirmed Fitment	No Confirmed Fitment
Z Master Revolution	18752	4	52	13x6.5-6	24x10.5-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	77185
Z Master Revolution	18760	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	77185
Z Master Revolution	18765	4	60	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (38182)	24x12N12 X-Tweel Turf	77185
<b>VENTRAC</b>									
Ventrac	4500K	5		22x11-10	22x11-10	22x11N12 X-Tweel Turf XL	47260	22x11N12 X-Tweel Turf XL	47260
Ventrac	4500P	5		22x11-10	22x11-10	22x11N12 X-Tweel Turf XL	47260	22x11N12 X-Tweel Turf XL	47260
Ventrac	4500Z	5		22x11-10	22x11-10	22x11N12 X-Tweel Turf XL	47260	22x11N12 X-Tweel Turf XL	47260
Ventrac	4500Y	5		22x11-10	22x11-10	22x11N12 X-Tweel Turf XL	47260	22x11N12 X-Tweel Turf XL	47260
Ventrac	4520K	5		22x11-10	22x11-10	22x11N12 X-Tweel Turf XL	47260	22x11N12 X-Tweel Turf XL	47260
Ventrac	4520P	5		22x11-10	22x11-10	22x11N12 X-Tweel Turf XL	47260	22x11N12 X-Tweel Turf XL	47260
Ventrac	4520Y	5		22x11-10	22x11-10	22x11N12 X-Tweel Turf XL	47260	22x11N12 X-Tweel Turf XL	47260
Ventrac	4520Z	5		22x11-10	22x11-10	22x11N12 X-Tweel Turf XL	47260	22x11N12 X-Tweel Turf XL	47260
Ventrac	4520N	5		22x11-10	22x11-10	22x11N12 X-Tweel Turf XL	47260	22x11N12 X-Tweel Turf XL	47260
<b>WALKER</b>									
S	S18	4		13x6.5-6 (1)	18x8.5-10	13X6.5N6		18x8.5N10 X-Tweel Turf	01133
S	S14	4		13x6.5-6 (1)	18x7-8	13X6.5N6		18x8.5N10 X-Tweel Turf	01133
S	S14i	4		13x6.5-6 (1)	18x7-8	13X6.5N6		18x8.5N10 X-Tweel Turf	01133
C	C19	4		13x6.5-6 (1)	18x8.5-10	13X6.5N6		18x8.5N10 X-Tweel Turf	01133
C	C19i	4		13x6.5-6 (1)	18x8.5-10	13X6.5N6		18x8.5N10 X-Tweel Turf	01133
C	C23i	4		13x5-6 (2), 13x8-6 (1)	18x8.5-10			18x8.5N10 X-Tweel Turf	01133
T	T23	4		13x5-6 (2), 13x8-6 (1)	18x9.5-8			18x8.5N10 X-Tweel Turf	78245
T	T27i	4		13x4.5-6 (2), 13x8-6 (1)	18x9.5-8			18x8.5N10 X-Tweel Turf	78245
T	T25i	4		13x5-6 (2), 13x8-6 (1)	18x9.5-8			18x8.5N10 X-Tweel Turf	78245
T	T30i	4		13x5-6 (2), 13x8-6 (1)	18x9.5-8			18x8.5N10 X-Tweel Turf	78245
D	D21d	4		13x5-6 (2), 13x8-6 (1)	18x9.5-8			18x8.5N10 X-Tweel Turf	78245
R	R21	4		13x6.5-6 (1)	18x8.5-10	13X6.5N6		18x8.5N10 X-Tweel Turf	01133
B	B23	4		11x4-5 (1)	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
B	B23i	4		11x4-5 (1)	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
B	B25p	4		11x4-5 (1)	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
B	B27i	4		11x4-5 (1)	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
B	B18	4		11x4-5 (1)	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
B	B19	4		11x4-5 (1)	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
H	H24d	4		13x5-6 (4)	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
H	H27i	4		13x5-6 (4)	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
H	H38i	4		13x5-6 (4)	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
H	H25	4		13x5-6 (4)	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
H	H37i	4		13x5-6 (4)	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
<i>Note: "Front Size" refers to the tailwheel. Quantity shown in parenthesis.</i>									
<b>WORLDLAWN</b>									
Belt Driven Walk Behind		1	28	8x3-4	13x4-6	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Belt Driven Walk Behind		1	32	8x3-4	13x4-6	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Belt Driven Walk Behind		1	36	4.1x3.5-4	13x6.5-6	No Confirmed Fitment	No Confirmed Fitment		
Belt Driven Walk Behind		1	48	4.1x3.5-4	13x6.5-6	No Confirmed Fitment	No Confirmed Fitment		
Hydro Driven Walk Behind		1	36	4.1x3.5-4	16x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Hydro Driven Walk Behind		1	48	4.1x3.5-4	16x6.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Viper		4	46	11x4-5	18x9.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Viper		4	50	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Viper		4	60	13x5-6	20x10-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Gater		4	34	4.1x3.5-4	18x7.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Diamondback		4	48	13x5-6	23x9.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Diamondback		4	52	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf	37968
Diamondback		4	60	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf	37968
Diamondback XE		4	52	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf	37968
Diamondback XE		4	60	13x6.5-6	23x10.5-12	13X6.5N6		22x11N12 X-Tweel Turf	37968
Cobra		4	48	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
Cobra		4	52	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
Cobra		4	60	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	08755
King Cobra		4	52	13x6.5-6	24x9.5-12	13X6.5N6		No Confirmed Fitment	No Confirmed Fitment
King Cobra		4	60	13x6.5-6	24x12.5-12	13X6.5N6		24x12N12 X-Tweel Turf	77185
Python		4	72	13x6.5-6	26x12-12	13X6.5N6		26x12N12 X-Tweel Turf XL	47623
Venom		4	32	11x4-5	18x7.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Venom		4	36	11x4-5	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Venom		5	48	13x5-6	22x10-10	No Confirmed Fitment	No Confirmed Fitment	22x11N12 X-Tweel Turf XL	47260
Venom		5	52	13x6.5-6	22x11-10	13X6.5N6		22x11N12 X-Tweel Turf XL	47260
Venom		5	60	13x6.5-6	22x11-10	13X6.5N6		22x11N12 X-Tweel Turf XL	47260
<b>WRIGHT</b>									
Stander ZK	52 61E8E	5	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	47260
Stander ZK	52 FX850E	5	52	13x6.5-6	23x10.5-12	13X6.5N6	73818 or 41011 (34193)	22x11N12 X-Tweel Turf XL	47260
Stander ZK	61 61E8E	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (34193)	24x12N12 X-Tweel Turf	54411
Stander ZK	61 FX850E	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (34193)	24x12N12 X-Tweel Turf	54411
Stander ZK	72 61E8E	5	72	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (34193)	24x12N12 X-Tweel Turf	54411
Stander B	32 FX600E	4	32	11x4-5	20x6.5-10	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Stander B	36 FX600E	4	36	11x4-5	20x8-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Stander B	48 44T9E	4	48	11x4-5	11x10-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Stander B	48 F5651E	4	48	11x4-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Stander B	52 44T9E	4	52	11x4-5	11x10-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Stander B	52 F5651E	4	52	11x4-5	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Stander I	36 FX600E	4	36	11x4-5	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Stander I	42 FX600E	4	42	11x4-5	18x8.5-10	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Stander X	48 FX730E	4	48	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Stander X	52 49E8E	4	52	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245

				Taille de l'équipement d'origine		Recommandation Michelin Tweel			
Série	Modèle	Boulons	Largeur de coupe (po)	Taille d'origine du pneu avant	Taille originale du pneu arrière	Tweel Taille de la roulette avant	Tweel Front Caster MSPN (Entretoise)	Tweel Taille du pneu arrière	Tweel Pneu arrière MSPN
Stander X	52 FX730E	4	52	13x5-6	20x10-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	78245
Velke LC	52 FX730E	4	52	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Velke LC	61 FX730E	4	61	11x4-5	18x8.5-8	No Confirmed Fitment	No Confirmed Fitment	18x8.5N10 X-Tweel Turf	01133
Velke HC	36 FS600E	4	36	9x3.5-4	16x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Velke HC	48 FS600E	4	48	9x3.5-4	16x7.5-8	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
Wright Mowers	MMZ	5	52	13x6.5-6	24x9.5-12	13X6.5N6	52441 or 05768 (Spacer Included)	No Confirmed Fitment	No Confirmed Fitment
Wright Mowers	MMZ	5	61	13x6.5-6	24x12-12	13X6.5N6	52441 or 05768 (Spacer Included)	24x12N12 X-Tweel Turf	54411
ZTO	48 FX730E	5	48	13x5-6	23x10.5-12	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment	No Confirmed Fitment
ZTO	52 FX730E	5	52	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
ZTO	61 FX730E	5	61	13x5-6	24x12-12	No Confirmed Fitment	No Confirmed Fitment	24x12N12 X-Tweel Turf	54411
ZXL	52 49E8E	5	52	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (34193)	No Confirmed Fitment	No Confirmed Fitment
ZXL	52 FX850E	5	52	13x6.5-6	24x9.5-12	13X6.5N6	73818 or 41011 (34193)	No Confirmed Fitment	No Confirmed Fitment
ZXL	61 61E8E	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (34193)	24x12N12 X-Tweel Turf XL	23039
ZXL	61 FX850E	5	61	13x6.5-6	24x12-12	13X6.5N6	73818 or 41011 (34193)	24x12N12 X-Tweel Turf XL	23039
ZXT	52 61G8	5	52	13x6.5-6	26x9.5-12	13X6.5N6	73818 or 41011 (34193)	26x12N12 X-Tweel Turf XL	25913 (Turf)
ZXT	61 61G8	5	61	13x6.5-6	26x14-12	13X6.5N6	73818 or 41011 (34193)	26x12N12 X-Tweel Turf XL	25913 (Turf)
ZXT	72 61G8	5	72	13x6.5-6	26x14-12	13X6.5N6	73818 or 41011 (34193)	26x12N12 X-Tweel Turf XL	25913 (Turf)
ZXT	52 61G8	5	52	13x6.5-6	26x9.5-12	13X6.5N6	73818 or 41011 (34193)	26X9N14 X-Tweel UTV	49265 (UTV)
ZXT	61 61G8	5	61	13x6.5-6	26x14-12	13X6.5N6	73818 or 41011 (34193)	26X9N14 X-Tweel UTV	49265 (UTV)
ZXT	72 61G8	5	72	13x6.5-6	26x14-12	13X6.5N6	73818 or 41011 (34193)	26X9N14 X-Tweel UTV	49265 (UTV)
<b>YAKTA</b>									
YXR	YXR 510	5		13x6.5-6	24x12-12	13X6.5N6		24x12N12 X-Tweel Turf	54411
YXR	YXR 710	5		13x6.5-6	24x12-12	13X6.5N6		24x12N12 X-Tweel Turf	54411
YXR	YXR 510	5		13x6.5-6	26x12-12	13X6.5N6		26x12N12 X-Tweel Turf XL	25913
YXS	YXS710	5		13x6.5-6	24x12-12	13X6.5N6		24x12N12 X-Tweel Turf	54411

# MICHELIN X<sup>MD</sup> TWEEL<sup>MC</sup> UTV (POUR VÉHICULES UTILITAIRES TOUT-TERRAIN)



## ARGUMENTS D'ACHAT :

- ✓ Conçu spécifiquement pour les conditions de routes difficiles où les véhicules sont exposés à des terrains irréguliers et d'autres éléments défavorables aux pneumatiques traditionnels.
- ✓ Rayons en Polyrésine permettant d'amortir les chocs pour améliorer le confort du conducteur, tout en fournissant une rigidité latérale exceptionnelle ainsi qu'une bonne tenue de route dans les virages et de la stabilité sur les terrains inclinés.
- ✓ Faible pression au sol permettant une surface de contact plus grande pour une traction hors-route améliorée.

## TAILLE 26X9N 14

MSPN	CAI	Description	Options de montage	Dimensions (pouces)	Charge Maximale	Vitesse Maximale	Configuration des boulons	Déport de la jante	Configuration de l'espacement arrière	Diamètre du trou central	Diamètre du trou de boulon	Poids
68495	316179	X TWEEL ATV	Honda ATV	26x9N14	506 lbs 230 kg	50 mph 80 kph	4x110 mm	+45 mm	5+2	2.7 in 68.5 mm	13 mm	50 lbs. 22.7 kg
67693	698296	X TWEEL UTV	Honda, Kubota RTV	26x9N14 69J	715 lbs 325 kg	62 mph 100 kph	4x110 mm	+52 mm	6+1	2.7 in 68.5 mm	13 mm	57 lbs. 25.7 kg
65492	396708	X TWEEL UTV	Artic Cat, Textron, CAT CUV	26x9N14 69J	715 lbs 325 kg	62 mph 100 kph	4x115 mm	+52 mm	6+1	2.7 in 68.5 mm	13 mm	57 lbs. 25.7 kg
75085	278044	X TWEEL UTV	Most Polaris, Kawasaki Mule Pro 800	26x9N14 69J	715 lbs 325 kg	62 mph 100 kph	4x156 mm	+30 mm	4+3	5.2 in 132 mm	13 mm	50 lbs. 22.7 kg
21709	421944	X TWEEL UTV	Most Can Am; Kawasaki Teryx, Mule 4010; John Deere XUV 590; Yamaha, Arctic Cat, others	26x9N14 69J	715 lbs 325 kg	62 mph 100 kph	4x137 mm	+48 mm	5+2	4.4 in 112 mm	14.3 mm	50 lbs. 22.7 kg
49265	593299	X TWEEL UTV	John Deere XUV 835 and others; ARGO, General Dynamics	26x9N14 69J	715 lbs 325 kg	62 mph 100 kph	5x4.5"	+25 mm	4+3	3.13 in 79.5 mm	13 mm	50 lbs. 22.7 kg

## TAILLE 26X11N 14

64998	199685	X TWEEL UTV	Honda, Kubota RTV	26x11N14	1323 lbs 600 kg	62 mph 100 kph	4x110 mm	+35 mm	6+4	2.7 in 68.5 mm	13 mm	79 lbs. 35.8 kg
03488	417016	X TWEEL UTV	Artic Cat, Textron, CAT CUV	26x11N14	1323 lbs 600 kg	62 mph 100 kph	4x115 mm	+35 mm	6+4	2.7 in 68.5 mm	13 mm	79 lbs. 35.8 kg
82599	842835	X TWEEL UTV	Most Polaris, Kawasaki Mule Pro 800	26x11N14	1323 lbs 600 kg	62 mph 100 kph	4x156 mm	+42 mm	7+3	5.2 in 132 mm	13 mm	79 lbs. 35.8 kg
29242	094026	X TWEEL UTV	Most Can Am; Kawasaki Teryx, Mule 4010; John Deere XUV 590; Yamaha, Arctic Cat, others	26x11N14	1323 lbs 600 kg	62 mph 100 kph	4x137 mm	+35 mm	6+4	4.4 in 112 mm	14.3 mm	79 lbs. 35.8 kg
10545	812358	X TWEEL UTV	John Deere XUV 835 and others; ARGO, General Dynamics	26x11N14	1323 lbs 600 kg	62 mph 100 kph	5x4.5"	+40 mm	7+3	3.13 in 79.5 mm	13 mm	79 lbs. 35.8 kg

## TAILLE 32X10N 15

54523	485503	X TWEEL UTV A/T 2	Polaris MRZR Alpha LTATV	32x10 N15	1323 lbs 600kg	62 mph 100 kph	5x4.5"	+61.5 mm	7+2	2.9 in 74 mm	16 mm	109 lbs. 49.7 kg
-------	--------	-------------------	--------------------------	-----------	-------------------	-------------------	--------	----------	-----	-----------------	-------	---------------------

Note: Tous les UTV / VTT utilisent des écrous de roue coniques à 60 °.



MSPN 68495,  
67693, 65492,  
64998 & 03488



MSPN 75085  
& 82599



MSPN 21709  
& 29242



MSPN 49265  
& 10545

Marque	Modèle	Avant (F) Arrière (R)	Taille d'origine	Année à partir de	D'une année à l'autre	Taille de roue d'origine	Configuration des boulons	Taille de Tweel recommandée	MSPN	ATV ou UTV	L'espacement arrière	Décalage de Tweel	Remarques :
<b>ARGO</b>													
Argo	Xplorer 500 XR / XRT / EPS / LE, 18-19 (F)	F	25 X 8-12	2018	2019	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Argo	Xplorer 500 XR / XRT / EPS / LE, 18-19 (R)	R	25X10-12	2018	2019	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Argo	Xplorer XRT 1000 LE, 18-19 (F)	F	26X 8-14	2018	2019	14x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Argo	Xplorer XRT 1000 LE, 18-19 (R)	R	26X10-14	2018	2019	14x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
<b>BOB CAT</b>													
Bob Cat	3400 4x4 Gas / XL, 11-19 (F)	F	25x10-12	2011	2019	N/A	4x156	26x9N14	75085	UTV	5+2	+30mm	
Bob Cat	3400 4x4 Gas / XL, 11-19 (R)	R	25x11-12	2011	2019	N/A	4x156	26x11N14	82599	UTV	7+3	+42mm	
Bob Cat	3400 4x4 Diesel / XL , 11-19 (F)	F	25x10-12	2011	2019	N/A	4x156	26x9N14	75085	UTV	5+2	+30mm	
Bob Cat	3400 4x4 Diesel / XL, 11-19 (R)	R	25x11-12	2011	2019	N/A	4x156	26x11N14	82599	UTV	7+3	+42mm	
Bob Cat	3450 4x4 Diesel / RapidLink, 14-19 ( F)	F	25x10-12	2014	2019	N/A	4x156	26x9N14	75085	UTV	5+2	+30mm	
Bob Cat	3450 4x4 Diesel / RapidLink, 14-19 (R)	R	25x11-12	2014	2019	N/A	4x156	26x11N14	82599	UTV	7+3	+42mm	
Bob Cat	3600 4x4 Diesel, 16-19 (F)	F	25x10-12	2016	2019	N/A	4x156	26x9N14	75085	UTV	5+2	+30mm	
Bob Cat	3600 4x4 Diesel, 16-19 (R)	R	25x11-12	2016	2019	N/A	4x156	26x11N14	82599	UTV	7+3	+42mm	
Bob Cat	3650 4x4 Diesel, 16-19 (F)	F	25x10-12	2016	2019	N/A	4x156	26x9N14	75085	UTV	5+2	+30mm	
Bob Cat	3650 4x4 Diesel, 16-19 (R)	R	25x11-12	2016	2019	N/A	4x156	26x11N14	82599	UTV	7+3	+42mm	
<b>CAN-AM</b>													
Can-Am	Commander 800/XT/R/DPS,11-19 (F)	F	27x9-12	2011	2019	14x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Can-Am	Commander 800/XT/R/DPS,11-19 (R)	R	27x11-12	2011	2019	14x7	4/137	26x11N14	29242	UTV	6+4	+35mm	
Can-Am	Commander 1000/ XT/X/Limited/DPS, 11-19 (F)	F	27x9-14	2011	2019	14x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Can-Am	Commander 1000/ XT/X/Limited/DPS, 11-19 (R)	R	27x11-14	2011	2019	14x7	4/137	26x11N14	29242	UTV	6+4	+35mm	
Can-Am	Defender 500/DPS,16-19 (F)	F	25X8-12	2016	2019	12x7	4X137	26x9N14	21709	UTV	5+2	+48mm	
Can-Am	Defender 500/DPS,16-19 (R)	R	25X10-12	2016	2019	12x7	4X137	26x11N14	29242	UTV	6+4	+35mm	
Can-Am	Defender 800/DPS ,16-19 (F)	F	25x8-12	2016	2019	12x7	4X137	26x9N14	21709	UTV	5+2	+48mm	
Can-Am	Defender 800/DPS, 16-19 (R)	R	25x10-12	2016	2019	12x7	4X137	26x11N14	29242	UTV	6+4	+35mm	
Can-Am	Defender 800/MAX/XT ,16-19 (F)	F	27x9-14	2016	2019	12x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Can-Am	Defender 800/MAX/XT, 16-19 (R)	R	27x11-14	2016	2019	12x7	4/137	26x11N14	29242	UTV	6+4	+35mm	
Can-Am	Defender 1000/DPS/XT, 16-19 (F)	F	27x9-14	2016	2019	14x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Can-Am	Defender 1000/DPS/XT, 16-19 (R)	R	27x11-14	2016	2019	14x7	4/137	26x11N14	29242	UTV	6+4	+35mm	
Can-Am	Maverick 800 Trail/DPS , 18-19 (F)	F	26X8-12	2018	2019	12x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Can-Am	Maverick 800 Trail/DPS, 18-19 (R)	R	26X9-12	2018	2019	12x7	4/137	26x11N14	29242	UTV	6+4	+35mm	
Can-Am	Maverick 1000 Sport MAX DPS 15-19 (F)	F	27x9-12	2015	2019	12x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Can-Am	Maverick 1000 Sport MAX DPS, 15-19 (R)	R	27x11-12	2015	2019	12x7	4/137	26x11N14	29242	UTV	6+4	+35mm	
Can-Am	Maverick 1000 Trail/DPS , 18-19 (F)	F	26X8-12	2018	2019	12x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Can-Am	Maverick 1000 Trail/DPS, 18-19 (R)	R	26X9-12	2018	2018	12x7	4/137	26x11N14	29242	UTV	6+4	+35mm	
Can-Am	Maverick 1000 / XC / X XC / DPS, 14-18 (F)	F	27X9-12	2014	2018	12x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Can-Am	Maverick 1000 / XC / X XC / DPS, 14-18 (R)	R	27X11-12	2014	2019	12x7	4/137	26x11N14	29242	UTV	6+4	+35mm	
Can-Am	Outlander 330 2WD/4WD, 03-09 (F)	F	25x8-12	2003	2009	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Outlander 330 2WD/4WD, 03-09 (R)	R	25x11-12	2003	2009	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Outlander 400/450 2WD/4WD, 03-14 (F)	F	25x8-12	2003	2014	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Outlander 400/450 2WD/4WD, 03-14 (R)	R	25x11-12	2003	2014	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Outlander 500 2WD/4WD, 07-19 (F)	F	25x8-12	2007	2019	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Outlander 500 2WD/4WD, 07-19 (R)	R	25x11-12	2007	2019	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Outlander 650 2WD/4WD, 06-19 (F)	F	26x8-12	2006	2019	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Outlander 650 2WD/4WD, 06-19 (R)	R	26x11-12	2006	2019	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Outlander 800/1000 2WD/4WD, 06-19 (F)	F	26x8-12	2006	2019	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Outlander 800/1000 2WD/4WD, 06-19 (R)	R	26x11-12	2006	2019	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Quest 500 4WD, 00-05 (F)	F	25x8-12	2000	2005	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	

Marque	Modèle	Avant (F) Arrière (R)	Taille d'origine	Année à partir de	D'une année à l'autre	Taille de roue d'origine	Configuration des boulons	Taille de Tweel recommandée	MSPN	ATV ou UTV	L'espacement arrière	Décalage de Tweel	Remarques :
Can-Am	Quest 500 4WD, 00-05 (R)	R	25x10-12	2000	2005	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Can-Am	Quest 650 4WD, 00-05 (F)	F	25x8-12	2000	2005	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Can-Am	Quest 650 4WD, 00-05 (R)	R	25x10-12	2000	2005	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Can-Am	Renegade 500 , 07-15 (F)	F	25x8-12	2007	2015	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Renegade 500, 07-15 (R)	R	25x10-12	2007	2015	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Renegade 800 R/X XC, 07-15 (F)	F	25x8-12	2007	2015	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Renegade 800 R/X XC, 07-15 (R)	R	25x10-12	2007	2015	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Renegade 1000 X xc, 12-19 (F)	F	25x8-12	2012	2019	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Renegade 1000 X xc, 12-19 (R)	R	25x10-12	2012	2019	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Can-Am	Traxter 500/CVT/XL 4WD, 99-05 (F)	F	25x8-12	1999	2005	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Can-Am	Traxter 500/CVT/XL 4WD, 99-05 (R)	R	25x10-12	1999	2005	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Can-Am	Traxter 650/XT/MAX, 02-05 (F)	F	25x8-12	2002	2005	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Can-Am	Traxter 650/XT/MAX, 02-05 (R)	R	25X10-12	2002	2005	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
<b>CATERPILLAR</b>													
Caterpillar	CUV102D	F	25x10.5-12	2019	2021		4x115	26x9N14	65492	UTV	6+1	+52mm	
Caterpillar	CUV102D	R	25x10.5-12	2019	2021		4x115	26x11N14	03488	UTV	6+4	+35mm	
Caterpillar	CUV105D	F	25x10.5-12	2019	2021		4x115	26x9N14	65492	UTV	6+1	+52mm	
Caterpillar	CUV105D	R	25x10.5-12	2019	2021		4x115	26x11N14	03488	UTV	6+4	+35mm	
<b>CF MOTO</b>													
CF moto	C Force 400, 16-19 (F)	F	25X8-12	2016	2019	N/A	4x110	26x9N14	68495	ATV	5+2	+45m	
CF moto	C Force 400, 16-19 (R)	R	25X10-12	2016	2019	N/A	4x110	26x9N14	68495	ATV	5+2	+45m	
CF moto	C Force 500S, 16-19 (F)	F	25X8-12	2016	2019	N/A	4x110	26x9N14	68495	ATV	5+2	+45m	
CF moto	C Force 500S, 16-19 (R)	R	25X10-12	2016	2019	N/A	4x110	26x9N14	68495	ATV	5+2	+45m	
CF moto	C Force 600, 16-19 (F)	F	25X8-12	2016	2019	N/A	4x110	26x9N14	68495	ATV	5+2	+45m	
CF moto	C Force 600, 16-19 (R)	R	25X10-12	2016	2019	N/A	4x110	26x9N14	68495	ATV	5+2	+45m	
CF moto	C Force 800 XC, 18-19 (F)	F	26X9X14	2018	2019	N/A	4x110	26x9N14	68495	ATV	5+2	+45m	
CF moto	C Force 800 XC, 18-19 (R)	R	26X11-14	2018	2019	N/A	4x110	26x9N14	68495	ATV	5+2	+45m	
CF moto	Terralander C Force 800, 12-19 (F)	F	26X9-14	2012	2019	14x7	4x110	26x9N14	68495	ATV	5+2	+45m	
CF moto	Terralander C Force 800, 12-19 (R)	R	26X11-14	2012	2019	14x7	4x110	26x9N14	68495	ATV	5+2	+45m	
CF moto	U Force 500, 16-19 (F)	F	26X9X14	2016	2019	14x7	4x110	26x9N14	67693	UTV	6+1	+52mm	
CF moto	U Force 500, 16-19 (R)	R	26X11-14	2016	2019	14x7	4x110	26x11N14	03488	UTV	6+4	+35mm	
CF moto	U Force 800 /EPS/LX, 14-19 (F)	F	26X9-14	2014	2019	14x7	4x110	26x9N14	67693	UTV	6+1	+52mm	
CF moto	U Force 800 /EPS/LX, 14-19 (R)	R	26X11-14	2014	2019	14x7	4x110	26x11N14	03488	UTV	6+4	+35mm	
CF moto	Z Force 500 Trail, 16-19 (F)	F	26X9-14	2016	2019	14x7	4x110	26x9N14	67693	UTV	6+1	+52mm	
CF moto	Z Force 500 Trail, 16-19 (R)	R	26X11-14	2016	2019	14x7	4x110	26x11N14	03488	UTV	6+4	+35mm	
CF moto	Z Force 800 EX/EPS/LX, 14-19 (F)	F	26X9-14	2014	2019	14x7	4x110	26x9N14	67693	UTV	6+1	+52mm	
CF moto	Z Force 800 EX/EPX/LX, 14-19 (R)	R	26X11-14	2014	2019	14x7	4x110	26x11N14	03488	UTV	6+4	+35mm	
CF moto	Z Force 1000, 18-19 (F)	F	27X9-14	2018	2019	14x7	4x110	26x9N14	67693	UTV	6+1	+52mm	
CF moto	Z Force 1000/ EPS LX, 18-19 (R)	R	27X11-14	2018	2019	14x7	4x110	26x11N14	03488	UTV	6+4	+35mm	
<b>CUB CADET</b>													
Cub Cadet	Challenger 550, 17-19 (F)	F	26x9-14	2017	2019	12x7	4x110	26x9N14	67693	UTV	6+1	+52mm	
Cub Cadet	Challenger 550, 17-19 (R)	R	26x11-14	2017	2019	12x7	4x110	26x11N14	03488	UTV	6+4	+35mm	
Cub Cadet	Volunteer 625 4WD , 09-19 (F)	F	26x10-12	2009	2019	12x7	5x4.5	26x9N14	49265	UTV	4+3	+25mm	
Cub Cadet	Volunteer 625 4WD, 09-19 (R)	R	26x11-12	2009	2019	12x7	5x4.5	26x11N14	10545	UTV	7+3	+40mm	
Cub Cadet	Challenger MX/EPS 750, 17-19 (F)	F	26x9-14	2017	2019	12x7	4x110	26x9N14	67693	UTV	6+1	+52mm	
Cub Cadet	Challenger MX/EPS 750, 17-19 (R)	R	26x11-14	2017	2019	12x7	4x110	26x11N14	03488	UTV	6+4	+35mm	
<b>HONDA</b>													

Marque	Modèle	Avant (F) Arrière (R)	Taille d'origine	Année à partir de	D'une année à l'autre	Taille de roue d'origine	Configuration des boulons	Taille de Tweel recommandée	MSPN	ATV ou UTV	L'espacement arrière	Décalage de Tweel	Remarques :
Honda	ATC 250 Big Red, 85 (R)	R	25x12-9	1985	1985	9x9	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	BIG RED MUV 4WD , 09-13 (F&R)	F/R	25x10-12	2009	2013	12x7	4/110	26x9N14	67693	UTV	6+1	+52mm	
Honda	PIONEER 500, 15-19 (F)	F	24x8-12	2015	2019	12x7	4/110	26x9N14	67693	UTV	6+1	+52mm	
Honda	PIONEER 500, 15-19 (R)	R	24x10-12	2015	2019	12x7	4x110	26x11N14	64998	UTV	6+4	+35mm	
Honda	PIONEER 700/ Deluxe 14-19 (F)	F	25x8-12	2014	2019	12x7	4/110	26x9N14	67693	UTV	6+1	+52mm	
Honda	PIONEER 700/ Deluxe 14-19 (R )	R	25x10-12	2014	2016	12x7	4x110	26x11N14	64998	UTV	6+4	+35mm	
Honda	PIONEER 1000 EPS/ Deluxe, 16-19 (F)	F	27x9-14	2016	2019	14x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Honda	PIONEER 1000 EPS/Deluxe, 16-19 (R)	R	27x11-14	2016	2019	14x7	4/137	26x11N14	29242	UTV	6+4	+35mm	
Honda	TRX 250 Big Red, 85-87 (R)	R	25x12-9	1985	1987	9x9	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 300 2WD, 88-00 (R)	R	25x12-9	1988	2000	9x9	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 350 RANCHER S-ES 2WD, 00-09 (R)	R	25x11-10	2000	2009	10x8	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 420 RANCHER 4WD, 04-19 (F)	F	24x8-12	2004	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 420 RANCHER 4WD ,04-19 (R)	R	24x10-11	2004	2019	11x6	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 450 FOREMAN S-ES 4WD, 98-04 (F)	F	25x8-12	1998	2004	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 450 FOREMAN S-ES 4WD, 98-04 (R)	R	25x10-12	1998	2004	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 500 FOREMAN RUBICON, 15-19 (F)	F	25x8-12	2015	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 500 FOREMAN RUBICON, 15-19 (R)	R	25x10-12	2015	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 500 FOREMAN S-ES 4WD, 05-19 (F)	F	25x8-12	2005	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 500 FOREMAN S-ES 4WD, 05-19 (R)	R	25x10-12	2005	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 500 RUBICON 4WD, 01-15 (F)	F	25x8-12	2001	2015	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 500 RUBICON 4WD, 01-15 (R)	R	25x10-12	2001	2015	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 650/675 RINCON 4WD, 03-19 (F)	F	25x8-12	2003	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Honda	TRX 650/675 RINCON 4WD, 03-19 (R)	R	25x10-12	2003	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
<b>JOHN DEERE</b>													
John Deere	Gator XUV 550, 12-16 (F)	F	25x8-12	2012	2016		4x137	26x9N14	21709	UTV	5+2	+48mm	
John Deere	Gator XUV 550, 12-16 (R)	R	25x10-12	2012	2016		4x137	26x11N14	29242	UTV	6+4	+35mm	
John Deere	Gator RSX 850 , 12-15 (F)	F	25x10-12	2012	2015	12x7	4x137	26x9N14	21709	UTV	5+2	+48mm	
John Deere	Gator RSX 850, 12-15 (R)	R	25x11-12	2012	2015	12x7	4x137	26x11N14	29242	UTV	6+4	+35mm	
John Deere	Gator RSX 850 Sport / Trail / Midnigth Black SE, 12-15 (F)	F	26x8-14	2012	2015	12x7	4x137	26x9N14	21709	UTV	5+2	+48mm	
John Deere	Gator RSX 850 Sport / Trail / Midnigth Black SE, 12-15 (R)	R	26x10-14	2012	2015	12x7	4x137	26x11N14	29242	UTV	6+4	+35mm	
John Deere	RSX i 860, 16-19 (F)	F	25x8-12	2016	2019	12x7	4x137	26x9N14	21709	UTV	5+2	+48mm	
John Deere	RSX i 860, 16-19 (R)	R	25x10-12	2016	2019	12x7	4x137	26x11N14	29242	UTV	6+4	+35mm	
John Deere	Gator HPX 617 4X4, 04-19 (F)	F	24x9.5-10	2004	2019	12x7	5x4.5	26x9N14	49265	UTV	4+3	+25mm	
John Deere	Gator HPX 617 4X4, 04-19 (R)	R	24x10.5-10	2004	2019	12x7	5x4.5	26x11N14	10545	UTV	7+3	+40mm	
John Deere	Gator XUV 625 4X4, 10-19 (F)	F	25x9-12	2010	2019	12x7	5x4.5	26x9N14	49265	UTV	4+3	+25mm	
John Deere	Gator XUV 625 4X4, 10-19 (R)	R	25x11-12	2010	2019	12x7	5x4.5	26x11N14	10545	UTV	7+3	+40mm	
John Deere	XUV 825 / Midnigth Black SE / S4 / E / M / i, 10-19 (F)	F	25x9-12	2010	2019	12x7	5x4.5	26x9N14	49265	UTV	4+3	+25mm	
John Deere	XUV 825 / Midnigth Black SE / S4 / E / M / i, 10-19 (R)	R	25x11-12	2010	2019	12x7	5x4.5	26x11N14	10545	UTV	7+3	+40mm	
John Deere	XUV 835 E / M / S4 / R / R SE	F	25x9-12	2022	2023	12x7	5x4.5	26x9N14	49265	UTV	4+3	+25mm	
John Deere	XUV 835 E / M / S4 / R / R SE	R	25x11-12	2022	2023	12x7	5x4.5	26x11N14	10545	UTV	7+3	+40mm	
John Deere	Gator XUV 850D 4X4, 07-09 (F)	F	25x8-12	2007	2009	12x7	5x4.5	26x9N14	49265	UTV	4+3	+25mm	
John Deere	Gator XUV 850D 4X4, 07-09 (R)	R	25x10-12	2007	2009	12x7	5x4.5	26x11N14	10545	UTV	7+3	+40mm	
John Deere	Gator HPX 854 4X4 Diesel, 04-19 (F)	F	25x8-12	2004	2019	12x7	5x4.5	26x9N14	49265	UTV	4+3	+25mm	
John Deere	Gator HPX 854 4X4 Diesel, 04-19 (R)	R	25x10-12	2004	2019	12x7	5x4.5	26x11N14	10545	UTV	7+3	+40mm	
John Deere	XUV 855, 10-19 (F)	F	25x9-12	2010	2021	12x7	5x4.5	26x9N14	49265	UTV	4+3	+25mm	
John Deere	XUV 855, 10-19 (R)	R	25x11-12	2010	2021	12x7	5x4.5	26x11N14	10545	UTV	7+3	+40mm	
<b>KAWASAKI</b>													

Marque	Modèle	Avant (F) Arrière (R)	Taille d'origine	Année à partir de	D'une année à l'autre	Taille de roue d'origine	Configuration des boulons	Taille de Tweel recommandée	MSPN	ATV ou UTV	L'espacement arrière	Décalage de Tweel	Remarques :
Kawasaki	Brute Force 650 4WD, 03-13 (F)	F	25x8-12	2003	2013	12x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Kawasaki	Brute Force 650 4WD, 03-13 (R)	R	25x10-12	2003	2013	12x7	4/137	26x11N14	29242	UTV	6+4	+35mm	
Kawasaki	Brute Force 650i 4WD, 06-13 (F)	F	25x8-12	2006	2013	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Kawasaki	Brute Force 650i 4WD, 06-13 (R)	R	25x10-12	2006	2013	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Kawasaki	Brute Force 750 EPS/SE 4WD, 05-19 (F)	F	25x8-12	2005	2016	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Kawasaki	Brute Force 750 EPS/SE 4WD, 05-19 (R)	R	25x10-12	2005	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Kawasaki	Mule 2500 (F)	F	23x11-10		2019	10x8	4/137	26x9N14	21709	UTV	5+2	+48mm	Peut nécessiter un kit de levage
Kawasaki	Mule 2500 (R)	R	23x11-10		2019	10x8	4/137	26x11N14	29242	UTV	6+4	+35mm	Peut nécessiter un kit de levage
Kawasaki	Mule 3000, 19 (F)	F	23x11-10		2019	10x8	4/137	26x9N14	21709	UTV	5+2	+48mm	Peut nécessiter un kit de levage
Kawasaki	Mule 3000, 19 (R)	R	23x11-10		2019	10x8	4/137	26x11N14	29242	UTV	6+4	+35mm	Peut nécessiter un kit de levage
Kawasaki	Mule 4000, 19 (F)	F	23x11-10	2009	2019	10x8	4/137	26x9N14	21709	UTV	5+2	+48mm	Peut nécessiter un kit de levage
Kawasaki	Mule 4000, 19 (R)	R	23x11-10	2009	2019	10x8	4/137	26x11N14	29242	UTV	6+4	+35mm	Peut nécessiter un kit de levage
Kawasaki	Mule 4010, 19 (F)	F	23x11-10	2019	2019	10x8	4/137	26x9N14	21709	UTV	5+2	+48mm	Peut nécessiter un kit de levage
Kawasaki	Mule 4010, 19 (R)	R	23x11-10	2019	2019	10x8	4/137	26x11N14	29242	UTV	6+4	+35mm	Peut nécessiter un kit de levage
Kawasaki	Mule PRO 800 FXT/FXR/EPS, 15-19 (F)	F	26x9-12	2015	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Kawasaki	Mule PRO 800 FXT/FXR/EPS, 15-19 (R)	R	26x11-12	2015	2019	12x8	4/156	26x11N14	82599	UTV	7+3	+42mm	
Kawasaki	Prairie 300 2WD, 99-05 (R)	R	25x11-10	1999	2005	10x8	4/137	26x9N14	21709	ATV	5+2	+48mm	
Kawasaki	Prairie 300 2WD/4WD, 99-05 (F)	F	25x8-12	1999	2005	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Kawasaki	Prairie 300 4WD, 99-05 (R)	R	25x11-10	1999	2005	10x8	4/137	26x9N14	21709	ATV	5+2	+48mm	
Kawasaki	Prairie 360 2WD/4WD, 03-13 (F)	F	25x8-12	2003	2013	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Kawasaki	Prairie 360 2WD/4WD, 03-13 (R)	R	25x10-12	2003	2013	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Kawasaki	Prairie 400 2WD/4WD, 97-05 (F)	F	25x8-12	1997	2005	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Kawasaki	Prairie 400 2WD/4WD, 97-05 (R)	R	25x12-10	1997	2005	10x8	4/137	26x9N14	21709	ATV	5+2	+48mm	
Kawasaki	Prairie 650/700 4WD, 02-06 (F)	F	25x8-12	2002	2006	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Kawasaki	Prairie 650/700 4WD, 02-06 (R)	R	25x10-12	2002	2006	12x7	4/137	26x9N14	21709	ATV	5+2	+48mm	
Kawasaki	Teryx 750/800 EPS/LE 4WD, 09-19 (F)	F	25x8-12	2009	2016	12x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Kawasaki	Teryx 750/800 EPS/ LE 4WD, 09-19 (R)	R	25x10-12	2009	2016	12x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
<b>KUBOTA</b>													
Kubota	RTV 850 XG Sidekick, 19 (F)	F	25x10-12		2019	12X7	4X110	26x9N14	67693	UTV	6+1	+52mm	Nécessite un entretoise de 0,25 pouce
Kubota	RTV 850 XG Sidekick, 19 (R)	R	25x10-12		2019	12X7	4x110	26x11N14	64998	UTV	6+4	+35mm	Nécessite un entretoise de 0,25 pouce
Kubota	RTV 900, 14-19 (F)	F	25x12-12	2014	2019	12X7	5X4.5	26x9N14	49265	UTV	5+2	+25mm	
Kubota	RTV 900, 14-19 (R)	R	25x12-12	2014	2019	12X7	5X4.5	26x11N14	10545	UTV	5+2	+25mm	
Kubota	RTV-X 900 Diesel, 14-19 (F)	F	25X10-12	2014	2019	12X7	4x110	26x9N14	67693	UTV	6+1	+52mm	
Kubota	RTV-X 900 Diesel, 14-19 (R)	R	25X12-12	2014	2019	12X7	4x110	26x11N14	64998	UTV	6+4	+35mm	
Kubota	RTV-X 1100, 14-19 (F)	F	25X10-12	2014	2019	12X7	4x110	26x9N14	67693	UTV	6+1	+52mm	
Kubota	RTV-X 1100, 14-19 (R)	R	25X10-12	2014	2019	12X7	4x110	26x11N14	64998	UTV	6+4	+35mm	
Kubota	RTV-X 1120, 14-19 (F)	F	25X10-12	2014	2019	12X7	4x110	26x9N14	67693	UTV	6+1	+52mm	
Kubota	RTV-X 1120,14-19 (R)	R	25X10-12	2014	2019	12X7	4x110	26x11N14	64998	UTV	6+4	+35mm	
Kubota	RTV-X 1140 , 16-19 (F)	F	25X10-12	2016	2019	12X7	4X110	26x9N14	67693	UTV	6+1	+52mm	
Kubota	RTV-X 1140, 16-19 (R)	R	25X10-12	2016	2019	12X7	4X110	26x11N14	64998	UTV	6+4	+35mm	
<b>POLARIS</b>													
Polaris	Diesel 4WD, 99-06 (F)	F	25x8-12	1999	2006	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Diesel 4WD, 99-06 (R)	R	25x11-10	1999	2006	10x8	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	Diesel 4WD, 99-06 (F)	F	25x8-12	1999	2006	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Diesel 4WD, 99-06 (R)	R	25x11-10	1999	2006	10x8	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	Magnum 500 4WD, 99-05 (F)	F	25x8-12	1999	2005	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Magnum 500 4WD, 02-05 (R)	R	25x11-10	2002	2005	10x8	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	Magnum/Big Boss 6x6, 93-06 (F)	F	25x8-12	1993	2006	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	

Marque	Modèle	Avant (F) Arrière (R)	Taille d'origine	Année à partir de	D'une année à l'autre	Taille de roue d'origine	Configuration des boulons	Taille de Tweel recommandée	MSPN	ATV ou UTV	L'espacement arrière	Décalage de Tweel	Remarques :
Polaris	Ranger 400/EV, 13-19 (F)	F	25x9-12	2013	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Ranger 400/EV, 13-19 (R)	R	25x9-12	2013	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Ranger 500, 04-19 (F)	F	25x10-12	2004	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Ranger 500, 04-19 (R)	R	25x11-12	2004	2019	12x7	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	Ranger 570 EPS/EFI, 14-19 (F)	F	25x10-12	2014	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Ranger 570 EPS/EFI, 14-19 (R)	R	25x11-12	2014	2019	12x7	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	Ranger Crew 570, 14-19 (F)	F	25x10-12	2014	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Ranger Crew 570, 14-19 (R)	R	25x10-12	2014	2019	12x7	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	Ranger XP 900 EPS, 16-19 (F)	F	25X10-12	2016	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Ranger XP 900 EPS, 16-19 (R)	R	25X11-12	2016	2019	12x7	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	Ranger Crew 900 XP/EPS, 14-19 (F)	F	26x9-12	2014	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Ranger Crew 900 XP/EPS, 14-19 (R)	R	26x11-12	2014	2019	12x7	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	Ranger XP 1000 EPS, 17-19 (F)	F	26x9-12	2017	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Ranger XP 1000 EPS, 17-19 (R)	R	26x11-12	2017	2019	12x7	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	Ranger Crew XP 1000 EPS, 17-19 (F)	F	26x9-12	2017	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Ranger Crew XP 1000 EPS, 17-19 (R)	R	26x11-12	2017	2019	12x7	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	RZR 570/800, 08-14 (F)	F	25x8-12	2008	2014	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	RZR 570/800, 08-14 (R)	R	25x10-12	2008	2014	12x7	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	RZR 900, 15-19 (F)	F	26x8-12	2015	2016	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	Peut dépasser les limites de vitesse
Polaris	RZR 900, 15-19 (R)	R	26x9-12	2015	2016	12x7	4/156	26x11N14	82599	UTV	7+3	+42mm	Peut dépasser les limites de vitesse
Polaris	RZR 900 S, 15-19 (F)	F	27x9-12	2015	2019	12x7	4/156	26x9N14	75085	UTV	5+2	+30mm	Peut dépasser les limites de vitesse
Polaris	RZR 900 S, 15-19 (R)	R	27x11-12	2015	2019	12x7	4/156	26x11N14	82599	UTV	7+3	+42mm	Peut dépasser les limites de vitesse
Polaris	RZR 900 XC, 15-19 (F)	F	27x9-14	2015	2019	14x7	4/156	26x9N14	75085	UTV	5+2	+30mm	Peut dépasser les limites de vitesse
Polaris	RZR 900 XC, 15-19 (R)	R	27x11-14	2015	2019	14x7	4/156	26x11N14	82599	UTV	7+3	+42mm	Peut dépasser les limites de vitesse
Polaris	Scrambler XP 850/1000 4WD 13-19 (F)	F	26x8-14	2013	2019	14x6	4/156	26x9N14	75085	UTV	5+2	+30mm	
Polaris	Scrambler XP 850/1000 4WD 13-19 (R)	R	26x10-14	2013	2019	14x8	4/156	26x11N14	82599	UTV	7+3	+42mm	
Polaris	Sportsman 400 4WD, 01-04 (F)	F	25x8-12	2001	2004	12x7	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Sportsman 400 4WD, 01-04 (R)	R	25x11-10	2001	2004	10x8	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Sportsman 400/Magnum 4WD 425L,95-98 (F)	F	25x8-12	1995	1998	12x7	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Sportsman 500/600/700/800, 02-14 (F)	F	25/26x8-12	2002	2014	12x7	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Sportsman 500/600/700/800, 02-14 (R)	R	25/26x10-12	2002	2014	12x7	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Sportsman ACE/ 570/900 ACE, 14-19 (F)	F	25x8-12	2014	2016	12x7	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Sportsman ACE/570/900 ACE, 14-19 (R)	R	25x10-12	2014	2016	12x7	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Sportsman XP 550/850/1000 4WD, 09-19 (F)	F	26x8-14	2009	2016	14x6	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Sportsman XP 550/850/1000 4WD, 09-19 (R)	R	26x10-14	2009	2016	14x8	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Trail Boss 4WD 350L/400L, 90-94 (F)	F	25x8-12	1990	1994	12x7	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Xpedition 425 4WD, 99-06 (F)	F	25x8-12	1999	2006	12x7	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Xplorer 4WD 400L, 95-03 (F)	F	25x8-12	1995	2003	12x7	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Xplorer/Sportsman 500 4WD, 96-04 (F)	F	25x8-12	1996	2004	12x7	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Xplorer/Sportsman 500 4WD, 96-04 (R)	R	25x11-10	1996	2004	10x8	4/156	26x9N14	75085	ATV	5+2	+30mm	
Polaris	Ranger XD1500	F	29x9-14	2023	+	14x7	5x4.5	32x10N15	54523	UTV	N/A	+2.4"	
Polaris	Ranger XD1500 Northstar	R	29x11-14	2023	+	14x7	5x4.5	32x10N15	54523	UTV	N/A	+2.4"	
Polaris	Ranger XD1500 Northstar	F	30x10-15	2023	+	15x7	5x4.5	32x10N15	54523	UTV	N/A	+2.4"	
Polaris	Ranger XD1500	R	30x11-15	2023	+	15x7	5x4.5	32x10N15	54523	UTV	N/A	+2.4"	
Polaris	Xpedition	F	30x10-15	2024	+	15x7	5x4.5	32x10N15	54523	UTV	N/A	+2.4"	
Polaris	Xpedition	R	30x11-15	2024	+	15x7	5x4.5	32x10N15	54523	UTV	N/A	+2.4"	

Marque	Modèle	Avant (F) Arrière (R)	Taille d'origine	Année à partir de	D'une année à l'autre	Taille de roue d'origine	Configuration des boulons	Taille de Tweel recommandée	MSPN	ATV ou UTV	L'espacement arrière	Décalage de Tweel	Remarques :
<b>SUZUKI</b>													
Suzuki	Eiger 400 2WD, 02-07 (F)	F	25x8-12	2002	2007	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	Eiger 400 2WD, 02-07 (R)	R	25x10-12	2002	2007	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	Eiger 400 4WD, 02-07 (F)	F	25x8-12	2002	2007	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	Eiger 400 4WD, 02-07 (R)	R	25x10-12	2002	2007	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	Eiger 400 Auto 2WD, 02-07 (F)	F	25x8-12	2002	2007	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	Eiger 400 Auto 2WD, 02-07 (R)	R	25x1012	2002	2007	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	Eiger 400 Auto 4WD, 02-07 (F)	F	25x8-12	2002	2007	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	Eiger 400 Auto 4WD, 02-07 (R)	R	25x10-12	2002	2007	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	King Quad 400/500 4WD, 09-19 (F)	F	25x8-12	2009	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	King Quad 400/500 4WD, 09-19 (R)	R	25x10-12	2009	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	King Quad 450 4WD, 07-09 (F)	F	25x8-12	2007	2009	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	King Quad 450 4WD, 07-09 (R)	R	25x10-12	2007	2009	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	King Quad 700/750 4WD, 06-19 (F)	F	25x8-12	2006	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	King Quad 700/750 4WD, 06-19 (R)	R	25X10-12	2006	2019	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	Twin Peaks 700 4WD, 04-06 (F)	F	25x8-12	2004	2006	12x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Suzuki	Twin Peaks 700 4WD, 04-06 (R)	R	25x10-12	2004	2006	12x7	4/137	26x9N14	21709	UTV	5+2	+48mm	
Suzuki	Vinson 500 4WD, 02-06 (F)	F	25x8-12	2002	2006	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Suzuki	Vinson 500 4WD, 02-06 (R)	R	25x10-12	2002	2006	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
<b>TEXTRON / ARTIC CAT</b>													
Textron	Alterra 500, 19 (F)	F	25x8-12		2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 500, 19 (R)	R	25x10-12		2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Prowler 500, 18-19 (F)	F	25x8-12	2018	2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Prowler 500, 18-19 (R)	R	25x10-12	2018	2019	N/A	4X115	26x11N14	03488	UTV	6+4	+35mm	
Textron	Alterra 570 / EPS / XT, 19 (F)	F	25x8-12		2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 570 / EPS / XT, 19 (R)	R	25x10-12		2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 700 / XT EPS, 18-19 (F)	F	25x8-12	2018	2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 700 / XT EPS, 18-19 (R)	R	25x10-12	2018	2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 700 Mud Pro LTD, 18-19 (F)	F	28 X 9-14	2018	2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 700 Mud Pro LTD, 18-19 (R)	R	28 X 9-14	2018	2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 700 TBX, 18-19 (F)	F	25x8-12	2018	2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 700 TBX, 18-19 (R)	R	25x10-12	2018	2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 700 TRV, 19 (F)	F	25x8-10		2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 700 TRV , 19 (R)	R	25x10-10		2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 700 VLX / EPS, 19 (F)	F	25x8-12		2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Alterra 700 VLX / EPS, 19 (R)	R	25x10-12		2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Wildcat Sport/Trail 700 XT / LTD, 18-19 (F)	F	26x8-12	2018	2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Wildcat Sport/Trail 700 XT / LTD, 18-19 (R)	R	26x10-12	2018	2019	N/A	4X115	26x11N14	03488	UTV	6+4	+35mm	
Textron	Prowler PRO 812 / XT / Ranch Edition, 19 (F)	F	26x10-14		2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Prowler PRO 812 / XT / Ranch Edition, 18-19 (R)	R	26x10-14		2019	N/A	4X115	26x11N14	03488	UTV	6+4	+35mm	
Textron	Stampede 900, 17-19 (F)	F	26x9-14	2017	2019	N/A	4X137	26x9N14	21709	UTV	5+2	+48mm	
Textron	Stampede 900, 17-19 (R)	R	26x9-14	2017	2019	N/A	4X137	26x11N14	29242	UTV	6+4	+35mm	
Textron	Havoc 1000 X / Backcountry, 18-19 (F)	F	28x10-14	2018	2019	N/A	4X137	26x9N14	21709	UTV	5+2	+48mm	Peut réduire la garde au sol
Textron	Havoc 1000 X / Backcountry, 18-19 (R)	R	28x10-14	2018	2019	N/A	4X137	26x11N14	29242	UTV	6+4	+35mm	Peut réduire la garde au sol
Textron	Wildcat 1000 X / 4X / LTD, 18-19 (F)	F	27x9-14	2018	2019	N/A	4X115	26x9N14	65492	UTV	6+1	+52mm	
Textron	Wildcat 1000 X / 4X / LTD, 18-19 (R)	R	27x11-14	2018	2019	N/A	4X115	26x11N14	03488	UTV	6+4	+35mm	

Marque	Modèle	Avant (F) Arrière (R)	Taille d'origine	Année à partir de	D'une année à l'autre	Taille de roue d'origine	Configuration des boulons	Taille de Tweel recommandée	MSPN	ATV ou UTV	L'espacement arrière	Décalage de Tweel	Remarques :
Textron	Wildcat 1000 XX, 19 (F)	F	30X10-15		2019	N/A	4X156	N/A					Application future
Textron	Wildcat 1000 XX, 19 (R)	R	30X10-15		2019	N/A	4X156	N/A					Application future
<b>YAMAHA</b>													
Yamaha	350 Big Bear 4WD, 07-08 (F)	F	25x8-12	2007	2008	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	350 Big Bear 4WD, 07-08 (R)	R	25x10-12	2007	2008	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	350/450 Grizzly 4WD, 07-15 (F)	F	25x8-12	2007	2015	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	350/450 Grizzly 4WD, 07-15 (R)	R	25x10-12	2007	2015	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Grizzly 550 FI Auto 4X4 / EPS / LE / S-LE, 09-14 (F)	F	25x8x12	2009	2014	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Grizzly 550FI Auto 4X4 / EPS / LE / S-LE, 09-14 (R)	R	25x10x12	2009	2014	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Grizzly 700 / EPS / SE/LE, 14-19 (F)	F	25x8-12	2014	2019	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Grizzly 700 / EPS / SE/ LE, 14-19 (R)	R	26X10-12	2014	2019	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Kodiac Ultramatic 400, 00-02 (F)	F	25X8-12	2000	2002	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Kodiac Ultramatic 400, 00-02 (R)	R	25X10-12	2000	2002	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Kodiac 450 / EPS /CAMO/SE , 18-19 (F)	F	25X8-12	2018	2019	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Kodiac 450 / EPS /CAMO/SE, 18-19 (R)	R	25X10-12	2018	2019	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Kodiac 700/ EPS / SE, 16-19 (F)	F	25X8-12	2016	2019	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Kodiac 700/ EPS / SE, 16-19 (R)	R	25X10-12	2016	2019	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Viking 700 / EPS / SE / Ranch, 14-19 (F)	F	25x8-12	2014	2019	12x7	4x110	26x9N14	67693	UTV	6+1	+52mm	
Yamaha	Viking 700 / EPS / SE / Ranch, 14-19 (R)	R	25x10-12	2014	2019	12x7	4x110	26x11N14	03488	UTV	6+4	+35mm	
Yamaha	YFM 350 Big Bear 2WD, 96-05 (F)	F	25x8-12	1996	2005	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	YFM 350 Big Bear 2WD, 96-99 (R)	R	25x12-9	1996	1999	9x9	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	YFM 350 Bruin 4WD 06,06 (F)	F	25x8-12	2006	2006	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	YFM 350 Bruin 4WD 06,06 (R)	R	25x10-12	2006	2006	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	YFM 350 ER Moto-4, 93-95 (R)	R	25x12-9	1993	1995	9x9	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	YFM 350/400 Big Bear 4WD, 87-06 (F)	F	25x8-12	1987	2006	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	YFM 350/400 Big Bear 4WD, 87-06 (R)	R	25x10-12	1987	2006	12x7	4/110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	Wolverine 700 / R-SPEC / EPS / S, 16-18 (F)	F	26X8-12	2016	2018	12x7	4/110	26x9N14	67693	UTV	6+1	+52mm	
Yamaha	Wolverine 700 / R-SPEC / EPS / S, 16-18 (R)	R	26X10-12	2016	2018	12x7	4/110	26x9N14	67693	UTV	6+1	+52mm	
Yamaha	Wolverine 850 X2 EPS / R-SPEC / S, 08-19 (F)	F	26x8-12	2008	2019	12x7	4/110	26x9N14	67693	UTV	6+1	+52mm	
Yamaha	Wolverine 850 X2 EPS / R-SPEC / S, 08-19 (R)	R	26x10-12	2008	2019	12x7	4/110	26x9N14	67693	UTV	6+1	+52mm	
Yamaha	YXR 700 Rhino, 08-13 (F)	F	25x8-12	2008	2013	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	
Yamaha	YXR 700 Rhino, 08-13 (R)	R	25x10-12	2008	2013	12x7	4x110	26x9N14	68495	ATV	5+2	+45mm	

# MICHELIN X<sup>MD</sup> TWEEL<sup>MC</sup> SSL 2 (POUR CHARGEURS COMPACTS)

MSPN 45604 / CAI 976836  
Traction Surface Dure

MSPN 07013 / CAI 357108  
Tout Terrain



## ARGUMENTS D'ACHAT :

- ✓ Stabilité exceptionnelle contribuant à une performance optimale de l'équipement.
- ✓ Conception unique des rayons permettant de réduire le "rebond" et la fatigue du conducteur, associés aux pneumatiques traditionnels.
- ✓ Empreinte au sol élargie, avec une bande de roulement dont la durée de vie est deux à trois fois plus longue que celle d'un pneumatique traditionnel –pour une même profondeur de la bande- et la possibilité de la rechapier.



MSPN	CAI	Description	Dimensions (pouces)	Charge maximale à 15 km/h	Profondeur de sculpture		Sous-couche	Poids
07013	357108	X Tweel SSL 2 Tout Terrain	12N16.5	1996 kg	25 mm	31/32°	10 mm	103 kg
45604	976836	X Tweel SSL 2 Traction Surface Dure	12N16.5	1996 kg	38 mm	48/32°	6.4 mm	116 kg
93405	817393	X Tweel SSL 2 Tout Terrain	10N16.5	1678 kg	25 mm	31/32°	8 mm	81 kg
69607	883466	X Tweel SSL 2 Traction Surface Dure	10N16.5	1678 kg	25 mm	48/32°	10 mm	103 kg

			Équipement d'origine				Recommandation Michelin Tweel	
Modèle	Configuration des boulons	Poids de fonctionnement (lbs)	Empattement (po)	Taille des pneus	Largeur avec seuil (po)	Largeur	Taille des pneus	Tweel MSPN
<b>BOBCAT</b>								
S66	8-8.00	7154	44.6	10x16.5	68	67	10N16.5	93405 / 69607
S70	5-4.50	2795	28.4	5.70x12	36	35.5	23x8.5-12	N/A
S76	8-8.00	8500	48	12x16.5	74	72	12N16.5	07013 / 45604
S250	8-8.00	7825	48.2	12x16.5	N/A	72	12N16.5	07013 / 45604
S300	8-8.00	8448	48.3	12x16.5	N/A	72.1	12N16.5	07013 / 45604
S450	8-8.00	5027	35.4	10x16.5	62	58.6	10N16.5	93405 / 69607
S550	8-8.00	6213	42.6	10x16.5	68	64.7	10N16.5	93405 / 69607
S570	8-8.00	6480	42.6	10x16.5	68	64.7	10N16.5	93405 / 69607
S590	8-8.00	6593	42.6	10x16.5	68	65.2	10N16.5	93405 / 69607
S595	8-8.00	6793	42.6	10x16.5	68	65.2	10N16.5	93405 / 69607
S630	8-8.00	7610	45.3	12x16.5	74	72.1	12N16.5	07013 / 45604
S650	8-8.00	8061	45.3	12x16.5	74	72.1	12N16.5	07013 / 45604
S850	8-10.75	10237	52.9	14x17.5	80	79	N/A	N/A
<b>CASE (NEW HOLLAND)</b>								
SR130	8-8	5070	37	10 x 16.5	60	59	10N16.5	93405 / 69607
SR160	8-8	5645	37	10 x 16.5	60	59	10N16.5	93405 / 69607
SR175	8-8	6270	44.4	10 x 16.5	66	64	10N16.5	93405 / 69607
SR210	8-8	6970	44.4	12 x 16.5	72	70	12N16.5	07013 / 45604
SR240	8-8	7400	52	12 x 16.5	72	69.6	12N16.5	07013 / 45604
SR270	8-8	8117	52	12 x 16.5	72	69.6	12N16.5	07013 / 45604
SV280	8-8	8090	52	12 x 16.5	72	69.6	12N16.5	07013 / 45604
SV340	8-8	9100	52	14 x 17.5	72	69.6	12N16.5	07013 / 45604
SV185	8-8	6570	44.4	10 x 16.5	66	64	10N16.5	93405 / 69607
<b>CATERPILLAR</b>								
226D	8-8	5705	41.5	10x16.5		58.9	10N16.5	93405 / 69607
232D	8-8	6213	41.5	10x16.5		58.9	10N16.5	93405 / 69607
236D	8-8	6559	43.5	10x16.5 ou 12x16.5		66	10N16.5 ou 12N16.5	93405 / 07013 / 45604
242D	8-8	6980	43.5	10x16.5 ou 12x16.5		66	10N16.5 ou 12N16.5	93405 / 07013 / 45604
246D	8-8	7424	49.2	12x16.5		66	12N16.5	07013 / 45604
262D	8-8	8011	49.2	12x16.5		66	12N16.5	07013 / 45604
272D2	8-8	8768	54.6	12x16.5 ou 14x17.5		72	12N16.5	07013 / 45604
272D2 XHP	8-8	9255	54.6	14x17.5		76	N/A	N/A
226D3	8-8	5849	41.5	10x16.5		58.9	10N16.5	93405 / 69607
232D3	8-8	6514	41.5	10x16.5		58.9	10N16.5	93405 / 69607
236D3	8-8	6567	43.5	10x16.5 ou 12x16.5		66	10N16.5 ou 12N16.5	93405 / 07013 / 45604
242D3	8-8	7138	43.5	10x16.5 ou 12x16.5		66	10N16.5 ou 12N16.5	93405 / 07013 / 45604
246D3	8-8	7478	49.2	12x16.5		66	12N16.5	07013 / 45604
262D3	8-8	8296	49.2	12x16.5		66	12N16.5	07013 / 45604
272D3	8-8	9133	54.6	12x16.5 ou 14x17.5		72	12N16.5	07013 / 45604
272D3 XE	8-8	9573	54.6	14x17.5		76	N/A	N/A
<b>JCB</b>								
155	8-8	6515	42	10x16.5-8	66	63	10N16.5	93405 / 69607
175	8-8	6818	42	10x16.5-8	66	63	10N16.5	93405 / 69607
210	8-8	6885	42	10x16.5-8	66	63	10N16.5	93405 / 69607
215	8-8	7253	42	10x16.5-8	66	63	10N16.5	93405 / 69607
250	8-8	8214	49	12x16.5-10	75	71	12N16.5	07013 / 45604
270	8-8	8680	49	12x16.5-10	75	71	12N16.5	07013 / 45604
300	8-8	9288	49	12x16.5-10	75	71	12N16.5	07013 / 45604
330	8-8	9736	49	14x17.5-12	75	71	N/A	N/A
3TS-8W Teleskid	8-8.00	9859	49	12x16.5	75	71	12N16.5	07013 / 45604
<b>JOHN DEERE</b>								
318D	8-8.00	6450	42.1	10x16.5		63.4	10N16.5	93405 / 69607

			Équipement d'origine				Recommandation Michelin Tweel	
Modèle	Configuration des boulons	Poids de fonctionnement (lbs)	Empattement (po)	Taille des pneus	Largeur avec seuil (po)	Largeur	Taille des pneus	Tweel MSPN
320D	8-8.00	6600	42.1	12x16.5		69.3	12N16.5	07013 / 45604
326D	8-8.00	8125	48.2	12x16.5		72.4	12N16.5	07013 / 45604
328D	8-8.00	8400	48.2	14x17.5		76.8	N/A	N/A
332D	8-8.00	9170	48.2	14x17.5		78.3	N/A	N/A
318E	8-8.00	7000	44.3	10x16.5		63.3	10N16.5	93405 / 69607
320E	8-8.00	7150	44.3	12x16.5		69.2	12N16.5	07013 / 45604
324E	8-8.00	7500	44.3	12x16.5		70.1	12N16.5	07013 / 45604
326E	8-8.00	8200	48.3	12x16.5		72.6	12N16.5	07013 / 45604
328E	8-8.00	8770	48.3	14x17.5		76.8	N/A	N/A
332E	8-8.00	9610	48.3	14x17.5		78.4	N/A	N/A
312GR	8-8.00	5995	41.5	10x16.5		62.9	10N16.5	93405 / 69607
314G	8-8.00	6315	41.5	10x16.5		62.9	10N16.5	93405 / 69607
316GR	8-8.00	6180	41.5	10x16.5		62.9	10N16.5	93405 / 69607
318G	8-8.00	6542	41.5	10x16.5		62.9	10N16.5	93405 / 69607
320G	8-8.00	7150	44.2	12x16.5		67	12N16.5	07013 / 45604
324G	8-8.00	7700	44.2	12x16.5		67	12N16.5	07013 / 45604
330G	8-8.00	9900	49.9	14x17.5		78	N/A	N/A
332G	8-8.00	10000	49.9	14x17.5		78.4	N/A	N/A
<b>KUBOTA</b>								
SSV65	8-8	6790	44.3	10x16.5-8	68.8	66.5	10N16.5	93405 / 69607
SSV75	8-8	8157	47.6	12x16.5-10	74.8	71.8	12N16.5	07013 / 45604
<b>MUSTANG</b>								
1350R	8-8	5078	37.6	10x16.5	54	52.6	10N16.5	93405 / 69607
1500R	8-8	5887	38.9	10x16.5	61.5	63.2	10N16.5	93405 / 69607
1560R	8-8	6122	38.9	10x16.5	61.5	63.2	10N16.5	93405 / 69607
1900R	8-8	6854	42	10x16.5	66	64.5	10N16.5	93405 / 69607
2200R	8-8	7960	43	12x16.5	70	69.5	12N16.5	07013 / 45604
2600R	8-8	8180	49.5	12x16.5	70	69.5	12N16.5	07013 / 45604
2700V	8-8	8150	49.5	12x16.5	70	69.5	12N16.5	07013 / 45604
3300V	8-8	9090	49.5	14x17.5	74	72	N/A	N/A
4200V	8-8	11665	54.6	14x17.5	84	79.5	N/A	N/A
<b>NEW HOLLAND</b>								
L213	8-8	2300	37	10 x 16.5		60	10N16.5	93405 / 69607
L216	8-8	2505	37	10 x 16.5		60	10N16.5	93405 / 69607
L218	8-8	2832	44.4	10 x 16.5		66	10N16.5	93405 / 69607
L220	8-8	2930	44.4	12 x 16.5		69	12N16.5	07013 / 45604
L221	8-8	3160	44.4	12 x 16.5		69	12N16.5	07013 / 45604
L230	8-8	3765	52	14 x 17.5		76	N/A	N/A
<b>VOLVO</b>								
MC135D	8-8	9288	49	12x16.5-10	75	70.9	12N16.5	07013 / 45604
MC110D	8-8	8214	49	12x16.5-10	75	70.9	12N16.5	07013 / 45604
MC115D	8-8	8680	49	12x16.5-10	75	70.9	12N16.5	07013 / 45604
MC70C	8-8	6603	42	10x16.5-8	66	60	10N16.5	93405 / 69607
MC85C	8-8	6819	42	10x16.5-8	66	60	10N16.5	93405 / 69607
MC100C	8-8	6885	42	10x16.5-8	66	60	10N16.5	93405 / 69607
MC105C	8-8	7253	42	10x16.5-8	66	60	10N16.5	93405 / 69607
<b>WACKER NEUSON</b>								
SW16	8-8	6170	43.5	10 x 16.5	65.9		10N16.5	93405 / 69607
SW20	8-8	6437	43.5	10 x 16.5	65.9		10N16.5	93405 / 69607
SW17	8-8	6245	43.5	10 x 16.5	65.9		10N16.5	93405 / 69607
SW21	8-8	6512	43.5	10 x 16.5	65.9		10N16.5	93405 / 69607
SW24	8-8	7840	49.9	12 x 16.5	71.9		12N16.5	07013 / 45604
SW24	8-8	7865	45.8	12 x 16.5	72		12N16.5	07013 / 45604
SW28	8-8	8175	49.9	12 x 16.5	71.9		12N16.5	07013 / 45604
SW28	8-8	8253	45.8	12 x 16.5	72		12N16.5	07013 / 45604

# MICHELIN X<sup>MD</sup> TWEEL<sup>MC</sup> TMF (POUR LES CHARIOTS ÉLEVATEURS À FOURCHE MONTÉS SUR CAMION)



## ARGUMENTS D'ACHAT :

- ✓ Pas de pneus crevés ou sous-gonflés pour ralentir vos livraisons
- ✓ Une stabilité et une maniabilité exceptionnelles contribuent à une productivité plus élevée
- ✓ Réduction du « rebond » par rapport aux pneus pneumatiques ou solides
- ✓ Moins de marquage sur les surfaces en béton
- ✓ S'adapte aux positions avant et arrière

MSPN	CAI	Description	Dimensions	Configuration des boulons	Déport de la jante	Charge maximale	Vitesse maximale	Profondeur de sculpture	Sous-couche	Poids
15204	262815	X TWEEL TMF	31.5x13N16.5	10x140mm	+13mm ou -25mm	2409 kg	15 kph	26/32°	14/32°	97.7 kg
05972	355720	X TWEEL TMF	31.5x13N16.5	10x140mm	+46mm ou -58mm	2409 kg	15 kph	26/32°	14/32°	97.7 kg

Modèle	Configuration des boulons	Poids de fonctionnement (lbs)	L'orientation	Empattement (po)	Taille avant d'origine	Taille arrière d'origine	Tweel taille avant	Tweel avant MSPN	Tweel taille arrière	Tweel arrière MSPN	Ballast de Tweel requis
MOFFETT M5 50.3 NX	10-140mm	5290	2 voies	68	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
MOFFETT M5 50.3P NX	10-140mm	6140	2 voies	68	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
MOFFETT M5 50.4 NX	10-140mm	5990	4 voies	68	31.5x13-16.5	31x15.5-15	31.5x13N16.5 X-Tweel TMF	05972	31.5x13N16.5 X-Tweel TMF	15204	n/a
MOFFETT M5 50.4P NX	10-140mm	6990	4 voies	68	31.5x13-16.5	31x15.5-15	31.5x13N16.5 X-Tweel TMF	05972	31.5x13N16.5 X-Tweel TMF	15204	n/a
MOFFETT M8 55.3 NX / NX2	10-140mm	6340	2 voies	65.5	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
MOFFETT M8 55.3P NX / NX2	10-140mm	7240	2 voies	73.5	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
MOFFETT M8 70.3 NX / NX2	10-140mm	6170	2 voies	73.5	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
MOFFETT M8 55.4 NX / NX2	10-140mm	7120	4 voies	65.5	31.5x13-16.5	31x15.5-15	31.5x13N16.5 X-Tweel TMF	05972	31.5x13N16.5 X-Tweel TMF	15204	Position avant*
MOFFETT M8 55.4P NX / NX2	10-140mm	8670	4 voies	73.5	31.5x13-16.5	31x15.5-15	31.5x13N16.5 X-Tweel TMF	05972	31.5x13N16.5 X-Tweel TMF	15204	Position avant*
MOFFETT M9 60.3 NX	10-140mm	7230	2 voies	74.25	31.5x13-16.5	31.5x13-16.5	31.5x13N16.5 X-Tweel TMF	15204 (R)	31.5x13N16.5 X-Tweel TMF	15204 (R)	n/a
PRINCETON PB50.3+	10-140mm	5290	2 voies	68	29x12.5-15	29x12.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
PRINCETON PB50.4+	10-140mm	6010	4 voies	68	31.5x13-16.5	31x15.5-15	31.5x13N16.5 X-Tweel TMF	05972	31.5x13N16.5 X-Tweel TMF	15204	n/a
PRINCETON PB55.3+	10-140mm	6400	2 voies	77.5	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
PRINCETON PB55.3X+	10-140mm	7240	2 voies	83.5	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
PRINCETON PB55.4+	10-140mm	7120	4 voies	65.5	31.5x13-16.5	31x15.5-15	31.5x13N16.5 X-Tweel TMF	05972	31.5x13N16.5 X-Tweel TMF	15204	Position avant*
PRINCETON PB70.3+	10-140mm	6700	2 voies	83.5	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
Sellick STM55	10-140	6560	2 voies	66	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
Sellick STM55P	10-140	7590	2 voies	74	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
Sellick STM55-4W	10-140	8285	4 voies	67	31.5x13-16.5	31.5x13-16.5	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
Sellick STM55P-4W	10-140	9475	4 voies	75	31.5x13-16.5	31.5x13-16.5	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
Sellick STM70	10-140	6690	2 voies	74	31x15.5-15	31x15.5-15	31.5x13N16.5 X-Tweel TMF	15204	31.5x13N16.5 X-Tweel TMF	15204	n/a
Navigator RT-6500	10-140	6596/7450	2 voies	76/83	31.5x13-16.5	31x15.5-15	31.5x13N16.5 X-Tweel TMF	05972	31.5x13N16.5 X-Tweel TMF	05972	n/a
Navigator RT-5500G2	10-140	6990/7820	2 voies	69/75	31.5x13-16.5	31x15.5-15	31.5x13N16.5 X-Tweel TMF	05972	31.5x13N16.5 X-Tweel TMF	05972	n/a
Navigator RT-6500G2	10-140	7005/7910	2 voies	69/75	31.5x13-16.5	31x15.5-15	31.5x13N16.5 X-Tweel TMF	05972	31.5x13N16.5 X-Tweel TMF	05972	n/a

\* Kit de lestage : Numéro de pièce Hiab : 090.280.0019. REMARQUE : L'installation du MICHELIN X<sup>MD</sup> Tweel<sup>MC</sup> TMF à l'avant des modèles à 4 voies mentionnés ci-dessus nécessite l'installation d'un kit de lestage de roue supplémentaire qui sera disponible à l'achat séparément auprès de Hiab USA Inc. Spare Parts. | (R) Montage inverse : Les tweels doivent être montés inversés avec l'étiquette de code à barres sur le moyeu Tweel orienté vers l'extérieur de la machine.

[tweel.michelinman.com](https://tweel.michelinman.com)  
[business.michelinman.com](https://business.michelinman.com)

Michelin North America (Canada) Inc., 2500 Daniel Johnson Blvd., Suite 500, Laval (QC) H7T 2P6  
© 2026 Michelin North America (Canada) Inc. Tous droits réservés. Le Bonhomme Michelin est une marque déposée de Michelin.  
Un employeur souscrivant au principe de l'égalité d'accès à l'emploi. | Pdf seulement (BWA 02/13/26)

